

Climate Change Impacts in the United States

CHAPTER 25 COASTAL ZONE DEVELOPMENT AND ECOSYSTEMS

Convening Lead Authors

Susanne C. Moser, Susanne Moser Research & Consulting, Stanford University Margaret A. Davidson, National Oceanic and Atmospheric Administration

Lead Authors

Paul Kirshen, University of New Hampshire
Peter Mulvaney, Skidmore, Owings & Merrill LLP
James F. Murley, South Florida Regional Planning Council
James E. Neumann, Industrial Economics, Inc.
Laura Petes, National Oceanic and Atmospheric Administration

Recommended Citation for Chapter

Denise Reed, The Water Institute of the Gulf

Moser, S. C., M. A. Davidson, P. Kirshen, P. Mulvaney, J. F. Murley, J. E. Neumann, L. Petes, and D. Reed, 2014: Ch. 25: *Coastal Zone Development and Ecosystems. Climate Change Impacts in the United States: The Third National Climate Assessment*, J. M. Melillo, Terese (T.C.) Richmond, and G. W. Yohe, Eds., U.S. Global Change Research Program, , 579-618. doi:10.7930/JOMS3QNW.

On the Web: http://nca2014.globalchange.gov/report/regions/coasts



25 COASTAL ZONE DEVELOPMENT AND ECOSYSTEMS

KEY MESSAGES

- Coastal lifelines, such as water supply and energy infrastructure and evacuation routes, are increasingly vulnerable to higher sea levels and storm surges, inland flooding, erosion, and other climate-related changes.
- 2. Nationally important assets, such as ports, tourism and fishing sites, in already-vulnerable coastal locations, are increasingly exposed to sea level rise and related hazards. This threatens to disrupt economic activity within coastal areas and the regions they serve and results in significant costs from protecting or moving these assets.
- 3. Socioeconomic disparities create uneven exposures and sensitivities to growing coastal risks and limit adaptation options for some coastal communities, resulting in the displacement of the most vulnerable people from coastal areas.
- 4. Coastal ecosystems are particularly vulnerable to climate change because many have already been dramatically altered by human stresses; climate change will result in further reduction or loss of the services that these ecosystems provide, including potentially irreversible impacts.
- 5. Leaders and residents of coastal regions are increasingly aware of the high vulnerability of coasts to climate change and are developing plans to prepare for potential impacts on citizens, businesses, and environmental assets. Significant institutional, political, social, and economic obstacles to implementing adaptation actions remain.




Figure 25.1. U.S. population growth in coastal watershed counties has been most significant over the past 40 years in urban centers such as Puget Sound, San Francisco Bay, southern California, Houston, South Florida and the northeast metropolitan corridor. A coastal watershed county is defined as one where either 1) at a minimum, 15% of the county's total land area is located within a coastal watershed, or 2) a portion of or an entire county accounts for at least 15% of a coastal USGS 8-digit cataloging unit. Residents in these coastal areas can be considered "the U.S. population that most directly affects the coast."1 We use this definition of "coastal" throughout the chapter unless otherwise specified. (Data from U.S. Census Bureau).

Each year, more than 1.2 million people move to the coast, collectively adding the equivalent of nearly one San Diego, or more than three Miami's, to the Great Lakes or open-ocean coastal watershed counties and parishes of the United States. As a result, 164 million Americans – more than 50% of the population – now live in these mostly densely populated areas^{1,2} (Figure 25.1) and help generate 58% of the national gross domestic product (GDP).³ People come – and stay – for the diverse and growing employment opportunities in recreation and tourism, commerce, energy and mineral production, vibrant urban centers, and the irresistible beauty of our coasts.⁴ Residents, combined with the more than 180 million tourists that flock to the coasts each year,^{5,6} place heavy demands on the unique natural systems and resources that make coastal areas so attractive and productive.⁷

Meanwhile, public agencies and officials are charged with balancing the needs of economic vitality and public safety, while sustaining the built and natural environments in the face of risks from well-known natural hazards such as storms, flooding, and erosion. Although these risks play out in different ways along the United States' more than 94,000 miles of coastline, all coasts share one simple fact: no other region concentrates so many people and so much economic activity on so little land, while also being so relentlessly affected by the sometimes violent interactions of land, sea, and air.

Humans have heavily altered the coastal environment through development, changes in land use, and overexploitation of resources. Now, the changing climate is imposing additional stresses, ¹⁰ making life on the coast more challenging (Figure 25.2). The consequences will ripple through the entire nation, which depends on the productivity and vitality of coastal regions.

COASTAL RESILIENCE DEFINED

Resilience means different things to different disciplines and fields of practice. In this chapter, resilience generally refers to an ecological, human, or physical system's ability to persist in the face of disturbance or change and continue to perform certain functions.¹¹ Natural or physical systems do so through absorbing shocks, reorganizing after disturbance, and adapting;¹² social systems can also consciously learn.¹³

Events like Superstorm Sandy in 2012 have illustrated that public safety and human well-being become jeopardized by the disruption of crucial lifelines, such as water, energy, and evacuation routes. As climate continues to change, repeated disruption of lives, infrastructure functions, and nationally and internationally important economic activities will pose intolerable burdens on people who are already most vulnerable and aggravate existing impacts on valuable and irreplaceable natural systems. Planning long-term for these changes, while balancing different and often competing demands, are vexing challenges for decision-makers (Ch. 26: Decision Support).

Flooding During High Tides





Figure 25.2. Sea level rise is not just a problem of the future, but is already affecting coastal communities such as Charleston, South Carolina, and Olympia in South Puget Sound through flooding during high tides. (Photo credits: (left) NOAA Coastal Services Center; (right) Ray Garrido, January 6, 2010, reprinted with permission by the Washington Department of Ecology).

Climate-related Drivers of Coastal Change

The primary climatic forces affecting the coasts are changes in temperature, sea and water levels, precipitation, storminess, ocean acidity, and ocean circulation.⁷

- Sea surface temperatures are rising¹⁴ and are expected to rise faster over the next few decades,¹⁵ with significant regional variation, and with the possibility for more intense hurricanes as oceans warm (Ch. 2: Our Changing Climate).
- Global average sea level is rising and has been doing so for more than 100 years (Ch.2: Our Changing Climate), and greater rates of sea level rise are expected in the future. Higher sea levels cause more coastal erosion, changes in sediment transport and tidal flows, more frequent flooding from higher storm surges, landward migration of barrier shorelines, fragmentation of islands, and saltwater intrusion into aquifers and estuaries. 17,17,18,19
- Rates of sea level rise are not uniform along U.S. coasts^{20,21} and can be exacerbated locally by land subsidence or reduced by uplift.^{22,23} Along the shorelines of the Great Lakes, lake level changes are uncertain (Ch. 18: Midwest), but erosion and sediment migration will be exacerbated by increased lakeside storm events, tributary flooding, and increased wave action due to loss of ice cover.²⁴
- Patterns of precipitation change are affecting coastal areas in complex ways (Ch. 2: Our Changing Climate). In regions where precipitation increases, coastal areas will see heavier runoff from inland areas, with the already observed trend toward more intense rainfall events continuing to increase the risk of extreme runoff and flooding. Where precipitation is expected to decline and droughts to increase, freshwater inflows to the coast will be reduced (Ch. 3: Water).
- There has been an overall increase in storm activity near the Northeast and Northwest coastlines since about 1980.²⁵ Winter storms have increased slightly in frequency and intensity and their storm tracks have shifted northward.²⁶ The most intense tropical storms have increased in intensity in the last few decades.²⁷ Future projections suggest increases in hurricane rainfall and intensity (with a greater number of the strongest Category 4 and 5 hurricanes), a slight decrease in the frequency of tropical cyclones, and possible shifts in storm tracks, though the details remain uncertain (Ch. 2: Our Changing Climate).

• Marine ecosystems are being threatened by climate change and ocean acidification. The oceans are absorbing more carbon dioxide as the concentration in the atmosphere increases, resulting in ocean acidification, which threatens coral reefs and shellfish. ^{28,29,30} Coastal fisheries are also affected by rising water temperatures ³¹ and climaterelated changes in oceanic circulation (Ch. 24: Oceans). ^{32,33} Wetlands and other coastal habitats are threatened by sea level rise, especially in areas of limited sediment supply or where barriers prevent onshore migration. ³⁴ The combined effects of saltwater intrusion, reduced precipitation, and increased evapotranspiration will elevate soil salinities and lead to an increase in salt-tolerant vegetation ^{35,36} and the dieback of coastal swamp forests. ³⁷

None of these changes operate in isolation. The combined effects of climate changes with other human-induced stresses makes predicting the effects of climate change on coastal systems challenging. However, it is certain that these factors will create increasing hazards to the coasts' densely populated areas. 38,39,40






Figure 25.3. The amount of sea level rise (SLR) by 2050 will vary along different stretches of the U.S. coastline and under different SLR scenarios, mostly due to land subsidence or uplift (Ch.2: Our Changing Climate). The panels show feet of sea level above 1992 levels at different tide gauge stations based on a) an 8 inch SLR and b) a 1.24 foot SLR by 2050. The flood level that has a 1% chance of occurring in any given year ("return level") is similarly projected to differ by region as a result of varying storm surge risk. Panel c) shows return levels for a 1.05 foot SLR above mean high tide by 2050. Finally, panel d) shows how a 1.05 foot SLR by 2050 could cause the level of flooding that occurs during today's 100-year storm to occur more frequently by mid-century, in some regions as often as once a decade or even annually. (Figure source: replicated Tebaldi et al. 2012²³ analysis with NCA sea level rise scenarios¹⁶ for panels a) and b); data/ensemble SLR projections used for panels c) and d) from Tebaldi et al. 2012²³; all estimates include the effect of land subsidence).




Figure 25.4. (a) Social Vulnerability, (b) Probability of Shoreline Erosion

(a) Social Vulnerability Index (SoVI) at the Census tract level for counties along the coast. The Social Vulnerability Index provides a quantitative, integrative measure for comparing the degree of vulnerability of human populations across the nation. A high SoVI (dark pink) typically indicates some combination of high exposure and high sensitivity to the effects of climate change and low capacity to deal with them. Specific index components and weighting are unique to each region (North Atlantic, South Atlantic, Gulf, Pacific, Great Lakes, Alaska, and Hawai'i). All index components are constructed from readily available Census data and include measures of poverty, age, family structure, location (rural versus urban), foreign-born status, wealth, gender, Native American status, and occupation. 41,42

(b) Probability of Shoreline Erosion greater than 3.3 feet per year for counties along the coast. Probability is based on historical conditions only and does not reflect the possibility of acceleration due to increasing rates of sea level rise. 43

C Regional Differences in Climate Change Threats PACIFIC NORTHWEST The substantial global sea level rise is NORTHEAST regionally moderated by the continuing uplift GREAT LAKES of land, with few exceptions, such as the Highly built-up coastal corridor concentrates Seattle area and central Oregon Higher temperatures and longer growing population and supporting infrastructure. seasons in the Great Lakes region favor · Commercial shellfish populations are at risk · Storm surges from nor easters and production of blue-green and toxic algae from ocean acidification. hurricanes can cause significant damage. that can harm fish, water quality, habitat, . The historical rate of relative sea level rise · The region's relatively high economic and aesthetics varies across the region. dependence on commercial fisheries makes Increased winter air temperatures will it sensitive to climate change impacts on · Wetlands and estuaries are vulnerable to lead to decreased Great Lakes ice cover, inundation from sea level rise; buildings and marine species and ecosystems and related making shorelines more susceptible to coastal ecosystems. infrastructure are most vulnerable to higher erosion and flooding. storm surges as sea level rises. · Coastal storm surges are expected to be Current projections of lake level changes higher due to increases in sea level alone, are uncertain. and more intense persistent storm tracks (atmospheric river systems) will increase coastal flooding risks from inland runoff. MID-ATLANTIC CALIFORNIA · Rates of local sea level rise in the Sea level has risen approximately 7 inches Chesapeake Bay are greater than the from 1900 to 2005, and is expected to rise global average. at growing rates in this century. Sea level rise and related flooding and · Higher temperatures; changes in precipitation, erosion threaten coastal homes, runoff and water supplies; and saltwater infrastructure, and commercial intrusion into coastal aquifers will result in development, including ports. negative impacts on coastal water resources. Chesapeake Bay ecosystems are already heavily degraded, making them Coastal storm surges are expected to be more vulnerable to climate-related higher due to increases in sea level alone, and more intense persistent storm tracks (atmospheric river systems) will increase **GULF COAST** coastal flooding risks from inland runoff. Hurricanes, land subsidence, sea level rise, and Expensive coastal development, critical erosion already pose great risks to Gulf Coast infrastructure, and valuable coastal areas, placing homes, critical infrastructure, and wetlands are at growing risk from coastal people at risk, and causing permanent land loss. erosion, temporary flooding, and · Coastal inland and water temperatures are permanent inundation. expected to rise: coastal inland areas are . The San Francisco Bay and San expected to become drier. Joaquin/Sacramento River Delta are There is still uncertainty about future frequency particularly vulnerable to sea level rise and and intensity of Gulf of Mexico hurricanes but sea changes in salinity, temperature, and runoff; level rise will increase storm surges endangering one of the ecological "jewels" of The Florida Keys, South Florida, and coastal the West Coast, growing development, and Louisiana are particularly vulnerable to additional crucial water infrastructure sea level rise and saltwater intrusion. HAWAI'I & PACIFIC ISLANDS SOUTHEAST / CARIBBEAN ALASKA Warmer and drier conditions will reduce · A large number of cities, critical infrastructure, Summer sea ice is receding rapidly, freshwater supplies on many Pacific and water supplies are at low elevations and altering marine ecosystems, allowing for Islands, especially on low lying islands exposed to sea level rise, in some places greater ship access and offshore and atolls moderated by land uplift. development, and making Native · Ecosystems of the Southeast are vulnerable Sea level rise will continue at accelerating communities highly susceptible to to loss from relative sea level rise, especially rates, exacerbating coastal erosion, coastal erosion. damaging infrastructure and agriculture, tidal marshes and swamps. Ice loss from melting Alaskan and · Sea level rise will affect coastal agriculture reducing critical habitat, and threatening Canadian glaciers currently contributes shallow coral reef systems. through higher storm surges, saltwater almost as much to sea level rise as does intrusion, and impacts on freshwater supplies. Extreme water levels occur when high melting of the Greenland Ice Sheet. · The number of land-falling tropical storms tides combine with interannual and may decline, reducing important rainfall. interdecadal sea level variations (such as Current and projected increases in ENSO, PDO, mesoscale eddy events) and · The incidence of harmful algal blooms is Alaska's ocean temperatures and changes

Figure 25.4. (c) Climate-Related Threats

(c) Regional Threats from Climate Change are compiled from technical input reports, the regional chapters in this report, and from scientific literature. For related information, see http://data.globalchange.gov/report/regional-differences-2012

in ocean chemistry are expected to alter

the distribution and productivity of Alaska's

Coral reef changes pose threats to

communities, cultures, and ecosystems

storm surge

expected to increase with climate change, as

are health problems previously uncommon in

the region.



Figure 25.4. (d) Adaptation Activities

(d) Examples of Adaptation Activities in Coastal Areas of the U.S. and Affiliated Island States are compiled from technical input reports, the regional chapters in this report, and scientific literature. For related information, see http://data.globalchange.gov/report/coastal-adaptation-examples-2012

Key Message 1: Coastal Lifelines at Risk

Coastal lifelines, such as water supply and energy infrastructure and evacuation routes, are increasingly vulnerable to higher sea levels and storm surges, inland flooding, erosion, and other climate-related changes.

Key coastal vulnerabilities arise from complex interactions among climate change and other physical, human, and ecological factors. These vulnerabilities have the potential to fundamentally alter life at the coast and disrupt coast-dependent economic activities.

Coastal infrastructure is exposed to climate change impacts from both the landward and ocean sides. 44,45,46,47,48 Some unique characteristics increase the vulnerability of coastal infrastructure to climate change (Ch. 11: Urban). For instance, many coastal regions were settled long ago, making much of the infrastructure older than in other locations. Also, inflexibility of some coastal, water-dependent infrastructure, such as onshore gas and oil facilities, port facilities, thermal power plants, and some bridges, makes landward relocation difficult (Figure 25.5), and build-up of urban and industrial areas inland from the shoreline can inhibit landward relocation.

Infrastructure is built to certain site-specific design standards (such as the once-in-10-year, 24-hour rainstorm or the once-in-100-year flood) that take account of historical variability in climate, coastal, and hydrologic conditions. Impacts exceeding these standards can shorten the expected lifetime, increase maintenance costs, and decrease services.

In general, higher sea levels, especially when combined with inland changes from flooding and erosion, will result in accelerated infrastructure impairment, with associated indirect effects on regional economies and a need for infrastructure upgrades, redesign, or relocation. ^{7,44,45,46,51}

The more than 60,000 miles of coastal roads⁵² are essential for human activities in coastal areas (Ch. 5: Transportation), especially in case of evacuations during coastal emergencies.^{53,54} Population growth to date and expected additional growth place increasing demands on these roads, and climate change will decrease their functionality unless adaptation measures are taken.^{55,56} Already, many coastal roads are affected during storm events⁵⁷ and extreme high tides.⁵⁸ Moreover, as coastal bridges, tunnels, and roads are built or redesigned, engineers must account for inland and coastal changes, including drainage flooding, thawing permafrost, higher groundwater levels, erosion, and increasing saturation of roadway bases.⁵⁹ During Hurricane Katrina, many bridges failed because they had only been designed for river flooding but were also unexpectedly exposed to storm surges.^{55,60}

Adapting Coastal Infrastructure to Sea Level Rise and Land Loss



Figure 25.5. This "mock-up" shows the existing Highway LA-1 and Leeville Bridge in coastal Louisiana (on the right) with a planned new, elevated bridge that would retain functionality under future, higher sea level conditions (center left). (Current sea level and sinking bridge are shown here.) A 7-mile portion of the planned bridge has been completed and opened to traffic in December 2011. (Figure source: Greater Lafourche Port Commission, reprinted with permission).

Wastewater management and drainage systems constitute critical infrastructure for coastal businesses and residents (Ch. 3: Water). Wastewater treatment plants are typically located at low elevations to take advantage of gravity-fed sewage collection. Increased inland and coastal flooding make such plants more vulnerable to disruption, while increased inflows will reduce treatment efficiency. 47,61,62 Drainage systems – designed using mid-1900s rainfall records - will become overwhelmed in the future with increased rainfall intensity over more impervious surfaces, such as asphalt and concrete. ^{27,63,64,65} Sea level rise will increase pumping requirements for coastal wastewater treatment plants, reduce outlet capacities for drainage systems, and increasingly infiltrate sewer lines, while salt water intrusion into coastal aguifers will affect coastal water supplies and salt fronts will advance farther up into coastal rivers, affecting water supply intakes (Ch. 3: Water). 19,66 Together, these impacts increase the risks of urban flooding, combined sewer overflows, deteriorating coastal water quality, and human health impacts (Ch. 11: Urban; Ch. 9: Human Health). 67,68,69

Coastal water infrastructure adaptation options include (but are not limited to):

- integrating both natural landscape features and humanengineered, built infrastructure to reduce stormwater runoff and wave attack, including, where feasible, creative use of dredge material from nearby coastal locations in the build-up of wetlands and berms (Figure 25.6);
- constructing seawalls around wastewater treatment plants and pump stations;
- pumping effluent to higher elevations to keep up with sea level rise;
- pumping freshwater into coastal aquifers to reduce infiltration of saltwater; and
- reusing water after treatment to replace diminished water supplies due to sea level rise.

Technical and financial feasibility may limit how well and how long coastal infrastructure can be protected in place before it needs to be moved or abandoned. One group estimated that nationwide adaptation costs to utilities for wastewater systems alone could range between \$123 billion and \$252 billion by 2050 and, while not specific to coastal systems, gives a sense of the magnitude of necessary expenditures to avert climate change impacts.⁷¹

The nation's energy infrastructure, such as power plants, oil and gas refineries, storage tanks, transformers, and electricity transmission lines, are often located directly in the coastal floodplain. Roughly two-thirds of imported oil enters the U.S. through Gulf of Mexico ports, through Gulf of Mexico ports, where it is refined and then transported inland. Unless adaptive measures are taken, storm-related flooding, erosion, and permanent inundation from sea level rise will disrupt these refineries (and related underground infrastructure) and, in turn, will constrain the supply of refined products to the rest of the nation (Ch. 4: Energy; Ch. 10: Energy, Water, and Land) (Figure 25.5).

Coastal communities have a variety of options to protect, replace, and redesign existing infrastructure, including flood proofing and flood protection through dikes, berms, pumps, integration of natural landscape features, elevation, more frequent upgrades, or relocation.⁷⁴ Relocation of large coastal

Ecosystem Restoration



Figure 25.6. A coastal ecosystem restoration project in New York City integrates revegetation (a form of green infrastructure) with bulkheads and riprap (gray or built infrastructure). Investments in coastal ecosystem conservation and restoration can protect coastal waterfronts and infrastructure, while providing additional benefits, such as habitat for commercial and recreational fish, birds, and other animal and plant species, that are not offered by built infrastructure. (Photo credit: Department of City Planning, New York City, reprinted with permission).

infrastructure away from the coastline can be very expensive and, for some facilities such as port installations, impossible due to the need for direct access to the shoreline. In most instances, the addition of new flood-proofed infrastructure in high-hazard zones has been viewed as a more cost-effective near-term option than relocation.⁷⁵ In these cases, significantly higher removal costs may be incurred later when sea level is higher or if the facility needs to be abandoned altogether in the future. This suggests that adaptation options are best assessed in a site-specific context, comprehensively weighing social, economic, and ecological considerations over multiple timeframes. A combination of gray and green infrastructure is increasingly recognized as a potentially cost-effective approach^{67,76} to reducing risks to communities and economies while preserving or restoring essential ecosystems and thus their benefits to human welfare (Figure 25.6).7,77

Assessing flood exposure of critical facilities and roads

NOAA's Critical Facilities Flood Exposure Tool provides an initial assessment of the risk to a community's critical facilities and roads within the "100-year" flood zone established by the Federal Emergency Management Agency (FEMA) (the 100-year flood zone is the areal extent of a flood that has a 1% chance of occurring or being exceeded in any given year). The tool helps coastal managers quickly learn which facilities may be at risk – providing information that can be used to increase flood risk awareness and to inform a more detailed analysis and ultimately flood risk reduction measures. The critical facilities tool was initially created to assist Mississippi/Alabama Sea Grant in conducting its "Coastal Resiliency Index: A Community Self-Assessment" workshops and is now available for communities nationwide. For additional information see: http://www.csc.noaa.gov/digitalcoast/tools/criticalfacilities.

Key Message 2: Economic Disruption

Nationally important assets, such as ports, tourism, and fishing sites, in already-vulnerable coastal locations, are increasingly exposed to sea level rise and related hazards. This threatens to disrupt economic activity within coastal areas and the regions they serve and results in significant costs from protecting or moving these assets.

In 2010, economic activity in shoreline counties accounted for approximately 66 million jobs and \$3.4 trillion in wages⁷⁸ through diverse industries and commerce. In many instances, economic activity is fundamentally dependent on the physical and ecological characteristics of the coast. These features provide the template for coastal economic activities, including natural protection from waves, access to beaches, flat land for port development and container storage, and wetlands that support fisheries and provide flood protection.

More than 5,790 square miles and more than \$1 trillion of property and structures are at risk of inundation from sea level rise of two feet above current sea level – an elevation which could be reached by 2050 under a high rate of sea level rise of approximately 6.6 feet by 2100, ¹⁶ 20 years later assuming a lower rate of rise (4 feet by 2100) (Ch. 2: Our Changing Climate), and sooner in areas of rapid land subsidence. ^{79,80} Roughly half of the vulnerable property value is located in Florida, and the most vulnerable port cities are Miami, Greater New York, New Orleans, Tampa-St. Petersburg, and Virginia Beach. ^{38,45,79,81}

Although comprehensive national estimates are not yet available, regional studies are indicative of the potential risk: the incremental annual damage of climate change to capital assets in the Gulf region alone could be \$2.7 to \$4.6 billion by 2030, and \$8.3 to \$13.2 billion by 2050; about 20% of these at-risk assets are in the oil and gas industry. ⁸² Investing approximately \$50 billion for adaptation over the next 20 years could lead to approximately \$135 billion in averted losses over the lifetime of adaptive measures. ^{82,83}



More than \$1.9 trillion in imports came through U.S. ports in 2010, with commercial ports directly supporting more than 13 million jobs⁷⁸ and providing 90% of consumer goods. ⁸⁴ Ports damaged during major coastal storms can be temporarily or permanently replaced by other modes of freight movement, but at greater cost (Ch. 5: Transportation). The stakes are high and resources exist for ports to take proactive adaptation steps, such as elevating and interconnecting port- and land-based infrastructure or developing offsite storage capability (off-dock intermodal yards) for goods and related emergency response procedures. ⁸⁵ However, a recent survey showed that most U.S. ports have not yet taken actions to adapt their operations to rising seas, increased flooding, and the potential for more extreme coastal storms. ⁸⁶

Coastal recreation and tourism comprises the largest and fastest-growing sector of the U.S. service industry, accounting for 85% of the \$700 billion annual tourism-related revenues, 5,88 making this sector particularly vulnerable to increased impacts from climate change. 89 Historically, development of immediate shoreline areas with hotels, vacation rentals, and other tourism-related establishments has frequently occurred without adequate regard for coastal hazards, shoreline dynamics (for example, inlet migration), or ecosystem health.90 Hard shoreline protection against the encroaching sea (like building sea walls or riprap) generally aggravates erosion and beach loss and causes negative effects on coastal ecosystems, undermining the attractiveness of beach tourism. Thus, "soft protection," such as beach replenishment or conservation and restoration of sand dunes and wetlands, is increasingly preferred to "hard protection" measures. Increased sea level rise means sand replenishment would need to be undertaken more frequently, and thus at growing expense. 34,91,92,93

Natural shoreline protection features have some capacity to adapt to sea level rise and storms (Figure 25.6) and can also provide an array of ecosystem services benefits⁹⁴ that may offset some maintenance costs. A challenge ahead is the need to integrate climate considerations (for example, temperature change and sea level rise) into coastal ecosystem restoration and conservation efforts,⁹⁵ such as those underway in the Gulf of Mexico, Chesapeake Bay, and Sacramento-San Joaquin Delta, to ensure that these projects have long-term effectiveness.

U.S. oceanic and Great Lakes coasts are important centers for commercial and recreational fishing due to the high productivity of coastal ecosystems. In 2009, the U.S. seafood industry supported approximately 1 million full- and part-time jobs and

generated \$116 billion in sales and \$32 billion in income. ⁹⁶ Recreational fishing also contributes to the economic engine of the coasts, with some 74 million saltwater fishing trips along U.S. coasts in 2009 generating \$50 billion in sales and supporting over 327,000 jobs. ⁹⁶ Climate change threatens to disrupt fishing

operations through direct and indirect impacts to fish stocks (for example, temperature-related shifts in species ranges, changes in prey availability, and loss of coastal nursery habitat) as well as storm-related disruptions of harbor installations (Ch. 24: Oceans).




Figure 25.7. Ports are deeply interconnected with inland areas through the goods imported and exported each year. Climate change impacts on ports can thus have far-reaching implications for the nation's economy. These maps show the exports and imports in 2010 (in tons/year) and freight flows (in trucks per day) from four major U.S. ports to other U.S. areas designated in the U.S. Department of Transportation's Freight Analysis Framework (FAF): Los Angeles, Houston, New York/New Jersey, and Seattle. Note: Highway Link Flow less than 5 FAF Trucks/Day are not shown. (Figure source: U.S. Department of Transportation, Federal Highway Administration, Office of Freight Management and Operations, Freight Analysis Framework, version 3.4, 2012). 87

Key Message 3: Uneven Social Vulnerability

Socioeconomic disparities create uneven exposures and sensitivities to growing coastal risks and limit adaptation options for some coastal communities, resulting in the displacement of the most vulnerable people from coastal areas.

In 2010, almost 2.8% of the U.S. population, or more than 8.6 million Americans, lived within the area subject to coastal floods that have at least a 1% chance of occurring in any one year. More than 120 million Americans live in counties that border the open ocean or Great Lakes coasts and/or have a 100-year coastal floodplain within them. Two trends will place even more people at risk in the future: 1) the expansion of the floodplain as sea level rises, and 2) the continuing immigration of people to coastal areas.

By 2100, the fraction of the U.S. population living in coastal counties is expected to increase by 50% (46.2 million) to 144% (131.2 million) depending on alternative projections of future housing. ⁹⁹ While specific population projections for future 100-year flood zones are only available for some locations, ¹⁰⁰ many of these new arrivals can be expected to locate in high-hazard areas. Thus, coastal population densities, along with increasing economic development, will continue to be an important factor in the overall exposure to climate change. ^{3,7,39,101}

Despite persistent beliefs that living on the coast is reserved for the wealthy, 79,102 there are large social disparities in coastal areas that vary regionally. 41,103 Full understanding of risk for coastal communities requires consideration of social vulnerability factors limiting people's ability to adapt. These factors include lower income; minority status; low educational

achievement; advanced age; income dependencies; employment in low-paying service, retail, and other sectors, as well as being often place-bound; less economically and socially mobile; and much less likely to be insured than wealthy property owners (see panel (a) in Figure 25.4).

For example, in California, an estimated 260,000 people are currently exposed to a 100-year flood; this number could increase to 480,000 by 2100 as a result of a 4.6 foot sea level rise alone (roughly equivalent to the high end of the 1 to 4 foot range of sea level rise projections, Ch.2: Our Changing Climate). Approximately 18% of those exposed to high flood risk by the end of this century also are those who currently fall into the "high social vulnerability" category. This means that while many coastal property owners at the shorefront tend

to be less socially vulnerable, adjacent populations just inland are often highly vulnerable.

The range of adaptation options for highly socially vulnerable populations is limited.⁸¹ Native communities in Alaska, Louisiana, and other coastal locations already face this challenge today (see "Unique Challenges for Coastal Tribes" and Ch. 12: Indigenous Peoples). 105,106 As sea level rises faster and coastal storms, erosion, and inundation cause more frequent or widespread threats, relocation (also called (un)managed retreat or realignment), while not a new strategy in dynamic coastal environments, may become a more pressing option. In some instances relocation may become unavoidable, and for poorer populations sooner than for the wealthy. Up to 50% of the areas with high social vulnerability face the prospect of unplanned displacement under the 1 to 4 foot range of projected sea level rise (Ch.2: Our Changing Climate), for several key reasons: they cannot afford expensive protection measures themselves, public expense is not financially justified (often because social, cultural, and ecological factors are not considered), or there is little social and political support for a more orderly retreat process. By contrast, only 5% to 10% of the low social vulnerability areas are expected to face relocation. 41 This suggests that climate change could displace many socially vulnerable individuals and lead to significant social disruptions in some coastal areas. 107,108,109

Unique challenges for coastal tribes

Coastal Native American and Native Alaskan people, with their traditional dependencies upon natural resources and specific land areas, exhibit unique vulnerabilities. Tribal adaptation options can be limited because tribal land boundaries are typically bordered by non-reservation lands, and climate change could force tribes to abandon traditionally important locations, certain cultural practices, and natural resources on which they depend (Ch. 12: Indigenous Peoples). Coastal food sources are also threatened, including salmon and shellfish. Climate change could affect other food species as well, worsening already existing health problems such as obesity, diabetes, and cancer.

Tribes pride themselves, however, for their experience and persistence in adapting to challenging situations. Some tribes are exploring unique adaptation approaches. In Louisiana's Isle de Jean Charles, for example, the Biloxi-Chitimacha-Choctaw Indian community partnered with a local academic center and a religious congregation to work toward relocating scattered tribal members with those seeking a communal safe haven, while working to save their ancestral land – aiming for community and cultural restoration and for the redevelopment of traditional livelihoods. ^{108,111}

Key Message 4: Vulnerable Ecosystems

Coastal ecosystems are particularly vulnerable to climate change because many have already been dramatically altered by human stresses; climate change will result in further reduction or loss of the services that these ecosystems provide, including potentially irreversible impacts.

Coastal ecosystems provide a suite of valuable benefits (ecosystem services) on which humans depend, including reducing the impacts from floods, buffering from storm surge and waves, and providing nursery habitat for important fish and other species, water filtration, carbon storage, and opportunities for recreation and enjoyment (Figure 25.8). 95,112,113

However, many of these ecosystems and the services they provide are rapidly being degraded by human impacts, including pollution, habitat destruction, and the spread of invasive species. For example, 75% of U.S. coral reefs in the Atlantic, Caribbean, and Gulf of Mexico are already in "poor" or "fair" condition; ^{114,115} all Florida reefs are currently rated as "threatened." Coastal barrier ecosystems continue to be degraded by human development, even in cases where development has slowed (for example, Crawford et al. 2013; Feagin et al. 2010b ¹¹⁷). Coastal wetlands are being lost at high rates in southeastern Louisiana (Figure 25.9). In addition, the incidence of lowoxygen "dead zones" in coastal waters has increased 30-fold in the U.S. since 1960, with over 300 coastal water bodies now experiencing stressful or lethal oxygen levels (Ch. 8: Ecosystems). In the Incidence of Incomplete Incidence of Incidence of Incidence Incidence

These existing stresses on coastal ecosystems will be exacerbated by climate change effects, such as increased ocean temperatures that lead to coral bleaching, ³⁰ altered river flows affecting the health of estuaries, ¹²¹ and acidified waters threatening shellfish. ¹²² Climate change affects the survival, reproduction, and health of coastal plants and animals in different ways. For example, changes in the timing of seasonal events (such as breeding and migration), shifts in species distributions and ranges, changes in species interactions, and declines in biodiversity all combine to produce fundamental changes in ecosystem character, distribution, and functioning. ²⁸ Species with narrow physiological tolerance to change, low genetic diversity, specialized resource requirements, and poor competitive abilities are particularly vulnerable. ^{123,124} Where the rate of climate change exceeds the pace at which plants and

animals can acclimate or adapt, impacts on coastal ecosystems will be profound. For example, high death rates of East Coast intertidal mussels at their southern range boundary have occurred because of rising temperatures between 1956 and 2007. The presence of physical barriers (for example, hardened shorelines or reduced sediment availability) and other non-climatic stressors (such as pollution, habitat destruction, and invasive species) will further exacerbate the ecological impacts of climate change and limit the ability of these ecosystems to adapt. Onshore migration of coastal marshes as sea level rises is often limited by bulkheads or roads (a phenomenon often called "coastal squeeze"), ultimately resulting in a reduction in wetland area.

Of particular concern is the potential for coastal ecosystems to cross thresholds of rapid change ("tipping points"), beyond which they exist in a dramatically altered state or are lost entirely from the area; in some cases, these changes will be irreversible. 134 These unique, "no-analog" environments present serious challenges to resource managers, who are confronted with conditions never seen before. 135,136,137 The ecosystems most susceptible to crossing such tipping points are those that have already lost some of their resilience due to degradation or depletion by non-climatic stressors. 138 Certain coastal ecosystems are already rapidly changing as a result of interactions between climatic and non-climatic factors, and others have already crossed tipping points. Eelgrass in the Chesapeake Bay died out almost completely during the record-hot summer of 2005, when temperatures exceeded the species' tolerance threshold of 86°F, ¹³⁹ and subsequent recovery has been poor. ¹⁴⁰ Severe low-oxygen events have emerged as a new phenomenon in the Pacific Northwest due to changes in the timing and duration of coastal upwelling. 32,141 These have led to high mortality of Dungeness crabs³³ and the temporary disappearance of rockfish, 32 with consequences for local fisheries. Reducing non-climatic stressors at the local scale can potentially prevent crossing some of these tipping points. 142

Coastal Ecosystem Services



Figure 25.8. Coastal ecosystems provide a suite of valuable benefits (ecosystem services) on which humans depend for food, economic activities, inspiration, and enjoyment. This schematic illustrates many of these services situated in a Pacific or Caribbean island setting, but many of them can also be found along mainland coastlines.

Projected Land Loss from Sea Level Rise in Coastal Louisiana 10.6" Sea Level Rise Transition from land to open water New land built over previously open water

Figure 25.9. These maps show expected future land change in coastal Louisiana under two different sea level rise scenarios without protection or restoration actions. Red indicates a transition from land (either wetlands or barrier islands) to open water. Green indicates new land built over previously open water. Land loss is influenced by factors other than sea level rise, including subsidence, river discharge and sediment load, and precipitation patterns. However, all these factors except sea level rise were held constant for this analysis. The panel on the left shows land change with a sea level rise of 10.6 inches between 2010 and 2060, while the one on the right assumes 31.5 inches of sea level rise for the same period. These amounts of sea level rise are within the projected ranges for this time period (Ch. 2: Our Changing Climate). (Figure source: State of Louisiana, reprinted with permission 120).

Key Message 5: The State of Coastal Adaptation

Leaders and residents of coastal regions are increasingly aware of the high vulnerability of coasts to climate change and are developing plans to prepare for potential impacts on citizens, businesses, and environmental assets. Significant institutional, political, social, and economic obstacles to implementing adaptation actions remain.

Considerable progress has been made since the last National Climate Assessment in both coastal adaptation science and practice (Figure 25.4, panel (d)), though significant gaps in understanding, planning, and implementation remain. 20,143,144,145 U.S. coastal managers pay increasing attention to adaptation, but are mostly still at an early stage of building their capacities for adaptation rather than implementing structural or policy changes (Ch. 28: Adaptation). 20,146,147 Although many non-structural (land-use planning, fiscal, legal, and educational) and structural adaptation tools are available through the Coastal Zone Management Act, Coastal Barriers Resources Act, and other frameworks, and while coastal managers are well familiar with these historical approaches to shoreline protection, they are less familiar with some of the more innovative approaches to coastal adaptation, such as rolling easements, ecosystembased adaptation, or managed realignment. 109,131,144,148 Federal, state, and local management approaches have also been found to be at odds at times, ¹⁴⁹ making successful integration of adaptation more difficult. ¹⁴⁵ There is only limited evidence of more substantial ("transformational") adaptation occurring, that is, of adaptations that are "adopted at a much larger scale, that are truly new to a particular region or resource system, and that transform places and shift locations,"150 such as relocation of communities in coastal Alaska and Louisiana (Ch. 22: Alaska). 83,109,150,151 Although more research is needed, reasons for the limited transformational adaptation to date may include the relatively early stage of recognizing climate change and sea level rise risks, the perception that impacts are not yet severe enough, and the fact that social objectives can still be met. 152

Coastal leaders and populations, however, are increasingly concerned about climate-related impacts and support the development of adaptation plans, ^{153,154,155} but support for development restrictions or managed retreat is limited. ^{156,157,158} Economic interests and population trends tend to favor continued (re)development and in-fill in near-shore locations. Current disaster recovery practices frequently promote rapid rebuilding on-site with limited consideration for future conditions ¹⁵⁹ despite clear evidence that more appropriate siting and construction can substantially reduce future losses. ^{160,161}

Enacting measures that increase resilience in the face of current hazards, while reducing long-term risks due to climate change, continues to be challenging. This is particularly difficult in coastal flood zones that are subject to a 1%

or greater chance of flooding in any given year, including those areas that experience additional hazards from wave action. According to FEMA and policy/property data maintained by the National Flood Insurance Program's (NFIP) Bureau and Statistical Agent, nearly half of the NFIP's repetitive flood losses occur in those areas. 165,166 A robust finding is that the cost of inaction is 4 to 10 times greater than the cost associated with preventive hazard mitigation. 79,160 Even so, prioritizing expenditures now whose benefits accrue far in the future is difficult. 167 Moreover, cumulative costs to the economy of responding to sea level rise and flooding events alone could be as high as \$325 billion by 2100 for 4 feet of sea level rise, with \$130 billion expected to be incurred in Florida and \$88 billion in the North Atlantic region. 80 The projected costs associated with one foot of sea level rise by 2100 are roughly \$200 billion. These figures only cover costs of beach nourishment, hard protective structures, and losses of inundated land and property where protection is not warranted, but exclude losses of valuable ecosystem services, as well as indirect losses from business disruption, lost economic activity, impacts on economic growth, or other non-market losses. 80,168,169 Such indirect losses, even in regions generally well prepared for disaster events, can be substantial (in the case of Superstorm Sandy, followed by a nor'easter, in fall 2012, insured losses and wider economic damages added up to at least \$65 billion). 170 Sequences of extreme events that occur over a short period not only reduce the time available for natural and social systems to recover and for adaptation measures to be implemented, but also increase the cumulative effect of back-to-back extremes compared to the same events occurring over a longer period. 164,171 The cost of managed retreat requires further assessment.

Property insurance can serve as an important mode of financial adaptation to climate risks, ¹⁷² but the full potential of leveraging insurance rates and availability has not yet been realized. 7,173,174 The Government Accountability Office (GAO) listed the National Flood Insurance Program as a "high-risk area" for the first time in 2006, indicating its significance in terms of federal fiscal exposure (nearly \$1.3 trillion in 2012). 175 In the context of identifying climate change as a high risk to federal operations, the GAO in 2013 singled out the NFIP again, recognizing growing risks and liabilities due to climate change and sea level rise and the increase in erosion and flooding they entail. 176 While insured assets in coastal areas represent only a portion of this total liability, taxpayers are responsible, via the NFIP, for more than \$510 billion of insured assets in the coastal Special Flood Hazard Area (SFHA) alone. 53,177 A number of reforms in the NFIP have been enacted in 2012 to ensure that the program is more fiscally sound and hazard mitigation is improved, though various challenges remain. 178

Climate adaptation efforts that integrate hazard mitigation, natural resource conservation, and restoration of coastal ecosystems can enhance ecological resilience and reduce the exposure of property, infrastructure, and economic activities to climate change impacts (Figure 25.6). 113,179 Yet, the integration and translation of scientific understanding of the benefits provided by ecosystems into engineering design and hazard management remains challenging. 180 Moreover, interdependencies among functioning infrastructure types and coastal uses require an integrated approach across scientific disciplines and levels of government, but disconnected scientific efforts and fragmented governance at the managerial, financial, and regulatory levels, and narrow professional training, job descriptions, and agency missions pose significant barriers (Ch. 11: Urban; Ch. 28: Adaptation). 145,181,182 Adaptation efforts to date that have begun to connect across jurisdictional and departmental boundaries and create innovative solutions are thus extremely encouraging.^{7,145,183,184}

25: COASTAL ZONE DEVELOPMENT AND ECOSYSTEMS

REFERENCES

- NOAA, 2013: National Coastal Population Report: Population Trends from 1970 to 2020, 22 pp., National Oceanic and Atmospheric Administration, U.S. Census Bureau. [Available online at http://stateofthecoast.noaa.gov/features/coastal-population-report.pdf]
- —, cited 2012: The U.S. Population Living in Coastal Watershed Counties. U.S. Department of Commerce, National Oceanic and Atmospheric Administration. [Available online at http://stateofthecoast.noaa.gov/population/welcome.html]
 - ——, 2012: NOAA's List of Coastal Counties for the Bureau of the Census. Statistical Abstract Series. [Available online at http://www.census.gov/geo/landview/lv6help/coastal_cty.pdf]
 - U.S. Census Bureau, cited 2010: 2010 Population Finder. U.S. Census Bureau, U.S. Department of Commerce. [Available online at http://www.census.gov/popfinder/]
- NOAA, cited 2012: Spatial Trends in Coastal Socioeconomics Demographic Trends Database: 1970-2010. National Ocean Service. [Available online at http://coastalsocioeconomics.noaa. gov/download/download2.html]
- Bookman, C. A., T. J. Culliton, and M. A. Warren, 1999: Trends in US Coastal Regions 1970-1998: Addendum to the Proceedings. Trends and Future Challenges for US National Ocean and Coastal Policy, 31 pp., National Oceanic and Atmospheric Administration Special Projects Office, National Ocean Service, Silver Spring, MD. [Available online at http://www.gpo.gov/fdsys/pkg/CZIC-gc1018-t736-add-1999/pdf/CZIC-gc1018-t736-add-1999.pdf]
- 5. Houston, J. R., 2008: The economic value of beaches a 2008 update. *Shore & Beach*, **76**, 22-26.
- OTTI, 2012: Overseas Visitation Estimates for U.S. States, Cities, and Census Regions: 2011, 6 pp., U.S. Department of Commerce, International Trade Commission, Office of Travel and Tourism Industries, Washington, D.C. [Available online at http://tinet.ita. doc.gov/outreachpages/download_data_table/2011_States_and_ Cities.pdf]
- Burkett, V., and M. Davidson, 2012: Coastal Impacts, Adaptation and Vulnerabilities: A Technical Input to the 2013 National Climate Assessment. Island Press, 216 pp.

- NOAA, 1972: Coastal Zone Management Act of 1972, as Amended through Pub. L. No. 109-58, the Energy Policy Act of 2005, 40 pp., National Oceanic and Atmospheric Administration, Washington, D.C. [Available online at http://coastalmanagement.noaa.gov/ about/media/CZMA_10_11_06.pdf]
- —, cited 2012: States and Territories Working on Ocean and Coastal Management. NOAA, Office of Ocean and Coastal Resource Management. [Available online at http://coastalmanagement.noaa. gov/mystate/welcome.html.]
- Moser, S. C., S. J. Williams, and D. F. Boesch, 2012: Wicked challenges at land's end: Managing coastal vulnerability under climate change. *Annual Review of Environment and Natural Resources*, 37, 51-78, doi:10.1146/annurev-environ-021611-135158. [Available online at http://susannemoser.com/documents/Moseretal_2012_AnnualReview_preformat.pdf]
- Folke, C., 2006: Resilience: The emergence of a perspective for social–ecological systems analyses. *Global Environmental Change*, 16, 253-267, doi:10.1016/j.gloenvcha.2006.04.002. [Available online at http://www.sciencedirect.com/science/article/pii/S0959378006000379]
 - Walker, B., C. S. Holling, S. R. Carpenter, and A. P. Kinzig, 2004: Resilience, adaptability and transformability in social–ecological systems. *Ecology and Society*, **9.** [Available online at http://www.ecologyandsociety.org/vol9/iss2/art5/print.pdf]
- 12. Holling, C. S., 1996: Engineering resilience versus ecological resilience. *Engineering Within Ecological Constraints*, P. Schulze, Ed., National Academies Press, 31-44.
- 13. Adger, W. N., 2003: Governing natural resources: Institutional adaptation and resilience. *Negotiating Environmental Change: New Perspectives from Social Science*, F. Berkhout, M. Leach, and I. Scoones, Eds., Edward Elgar Pub, 193-208.
- 14. Trenberth, K. E., P. D. Jones, P. Ambenje, R. Bojariu, D. Easterling, A. K. Tank, D. Parker, F. Rahimzadeh, J. A. Renwick, M. Rusticucci, B. Soden, and P. Zhai, 2007: Observations: Surface and atmospheric climate change. Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K. B. Averyt, M. Tignor, and H. L. Miller, Eds., Cambridge University Press. [Available online at http://www.ipcc.ch/publications_and_data/ar4/wg1/en/ch3.html]

- Xue, Y., Z. Hu, A. Kumar, V. Banzon, T. M. Smith, and N. A. Rayner, 2012: [Global Oceans] Sea surface temperatures [in "State of the Climate in 2011"]. *Bulletin of the American Meteorological Society*, **93**, S58-S62, doi:10.1175/2012BAMSStateoftheClimate.1. [Available online at http://journals.ametsoc.org/doi/pdf/10.1175/2012BAMSStateoftheClimate.1]
- Howard, J., E. Babij, R. Griffis, B. Helmuth, A. Himes-Cornell, P. Niemier, M. Orbach, L. Petes, S. Allen, and G. Auad, 2013: Oceans and marine resources in a changing climate. *Oceanography and Marine Biology: An Annual Review*, R. N. Hughes, D. J. Hughes, and I. P. Smith, Eds., CRC Press, 71-192.
- 16. Parris, A., P. Bromirski, V. Burkett, D. Cayan, M. Culver, J. Hall, R. Horton, K. Knuuti, R. Moss, J. Obeysekera, A. Sallenger, and J. Weiss, 2012: Global Sea Level Rise Scenarios for the United States National Climate Assessment. NOAA Tech Memo OAR CPO-1, 37 pp., National Oceanic and Atmospheric Administration, Silver Spring, MD. [Available online at http://scenarios.globalchange.gov/sites/default/files/NOAA_SLR_r3_0.pdf]
- CCSP, 2009: Coastal Sensitivity to Sea-Level Rise: A Focus on the Mid-Atlantic Region. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. J. G. Titus, K. E. Anderson, D. R. Cahoon, D. B. Gesch, S. K. Gill, B. T. Gutierrez, E. R. Thieler, and S. J. Williams, Eds. U.S. Environmental Protection Agency, 320 pp. [Available online at http://downloads. globalchange.gov/sap/sap4-1/sap4-1-final-report-all.pdf]
 - IPCC, 2007: Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K. B. Averyt, M. Tignor, and H. L. Miller, Eds. Cambridge University Press, 996 pp. [Available online at http://www.ipcc.ch/publications_and_data/publications_ipcc_fourth_assessment_report_wg1_report_the_physical_science_basis.htm]
- Irish, J. L., A. E. Frey, J. D. Rosati, F. Olivera, L. M. Dunkin, J. M. Kaihatu, C. M. Ferreira, and B. L. Edge, 2010: Potential implications of global warming and barrier island degradation on future hurricane inundation, property damages, and population impacted. *Ocean & Coastal Management*, 53, 645-657, doi:10.1016/j. ocecoaman.2010.08.001.
- Rotzoll, K., and C. H. Fletcher, 2013: Assessment of groundwater inundation as a consequence of sea-level rise. *Nature Climate Change*, 3, 477-481, doi:10.1038/nclimate1725.
- NRC, 2010: Advancing the Science of Climate Change. America's Climate Choices: Panel on Advancing the Science of Climate Change. National Research Council. The National Academies Press, 528 pp. [Available online at http://www.nap.edu/catalog.php?record_id=12782]

- 21. Sallenger, A. H., K. S. Doran, and P. A. Howd, 2012: Hotspot of accelerated sea-level rise on the Atlantic coast of North America. Nature Climate Change, 2, 884-888, doi:10.1038/nclimate1597. [Available online at http://www.cityofboston.gov/Images_Documents/Hotspot%20of%20accelerated%20sea-level%20rise%20-%20USGS%206-25-12_tcm3-33215.pdf]
 - Tamisiea, M. E., J. X. Mitrovica, J. L. Davis, and G. A. Milne, 2003: Ch. II: Solid Earth physics: Long wavelength sea level and solid surface perturbations driven by polar ice mass variations: Fingerprinting Greenland and Antarctic ice sheet flux. *Earth Gravity Field from Space from Sensors to Earth Sciences*, G. Beutler, R. Rummel, M. R. Drinkwater, and R. von Steiger, Eds., Kluwer Academic Publishers, 81-93.
 - Yin, J., M. E. Schlesinger, and R. J. Stouffer, 2009: Model projections of rapid sea-level rise on the northeast coast of the United States. *Nature Geoscience*, **2**, 262-266, doi:10.1038/ngeo462.
- Blum, M. D., and H. H. Roberts, 2009: Drowning of the Mississippi Delta due to insufficient sediment supply and global sea-level rise. *Nature Geoscience*, 2, 488-491, doi:10.1038/ngeo553.
 - Cazenave, A., and W. Llovel, 2010: Contemporary sea level rise. *Annual Review of Marine Science*, **2**, 145-173, doi:10.1146/annurev-marine-120308-081105.
 - Komar, P. D., J. C. Allan, and P. Ruggiero, 2011: Sea level variations along the U.S. Pacific Northwest coast: Tectonic and climate controls. *Journal of Coastal Research*, **27**, 808-823, doi:10.2112/jcoastres-d-10-00116.1. [Available online at http://www.bioone.org/doi/pdf/10.2112/JCOASTRES-D-10-00116.1]
 - Mazzotti, S., A. Lambert, N. Courtier, L. Nykolaishen, and H. Dragert, 2007: Crustal uplift and sea level rise in northern Cascadia from GPS, absolute gravity, and tide gauge data. *Geophysical Research Letters*, **34**, L15306, doi:10.1029/2007GL030283. [Available online at http://onlinelibrary.wiley.com/doi/10.1029/2007GL030283/pdf]
 - Nicholls, R. J., and A. Cazenave, 2010: Sea-level rise and its impact on coastal zones. *Science*, **328**, 1517-1520, doi:10.1126/science.1185782.
- 23. Tebaldi, C., B. H. Strauss, and C. E. Zervas, 2012: Modelling sea level rise impacts on storm surges along US coasts. *Environmental Research Letters*, **7**, 014032, doi:10.1088/1748-9326/7/1/014032.
- Hayhoe, K., and D. Wuebbles, 2008: Climate Change and Chicago: Projections and Potential Impacts, 175 pp., City of Chicago, Chicago, IL. [Available online at http://www.chicagoclimateaction. org/]

- Uzarski, D. G., T. M. Burton, R. E. Kolar, and M. J. Cooper, 2009: The ecological impacts of fragmentation and vegetation removal in Lake Huron's coastal wetlands. *Aquatic Ecosystem Health & Management*, **12**, 45-62, doi:10.1080/14634980802690881.
- Vose, R. S., S. Applequist, M. J. Menne, C. N. Williams, Jr., and P. Thorne, 2012: An intercomparison of temperature trends in the US Historical Climatology Network and recent atmospheric reanalyses. Geophysical Research Letters, 39, 6, doi:10.1029/2012GL051387. [Available online at http://onlinelibrary.wiley.com/doi/10.1029/2012GL051387/pdf]
- Wang, X. L., Y. Feng, G. P. Compo, V. R. Swail, F. W. Zwiers, R. J. Allan, and P. D. Sardeshmukh, 2012: Trends and low frequency variability of extra-tropical cyclone activity in the ensemble of twentieth century reanalysis. *Climate Dynamics*, 40, 2775-2800, doi:10.1007/s00382-012-1450-9.
 - Wang, X. L., V. R. Swail, and F. W. Zwiers, 2006: Climatology and changes of extratropical cyclone activity: Comparison of ERA-40 with NCEP-NCAR reanalysis for 1958-2001. *Journal of Climate*, **19**, 3145-3166, doi:10.1175/JCLI3781.1. [Available online at http://journals.ametsoc.org/doi/abs/10.1175/JCLI3781.1]
- Seneviratne, S. I., N. Nicholls, D. Easterling, C. M. Goodess, S. Kanae, J. Kossin, Y. Luo, J. Marengo, K. McInnes, M. Rahimi, M. Reichstein, A. Sorteberg, C. Vera, and X. Zhang, 2012: Ch. 3: Changes in climate extremes and their impacts on the natural physical environment. Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation. A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change (IPCC), C. B. Field, V. Barros, T. F. Stocker, Q. Dahe, D. J. Dokken, K. L. Ebi, M. D. Mastrandrea, K. J. Mach, G.-K. Plattner, S. K. Allen, M. Tignor, and P. M. Midgley, Eds., Cambridge University Press, 109-230.
- Doney, S. C., M. Ruckelshaus, J. E. Duffy, J. P. Barry, F. Chan, C. A. English, H. M. Galindo, J. M. Grebmeier, A. B. Hollowed, N. Knowlton, J. Polovina, N. N. Rabalais, W. J. Sydeman, and L. D. Talley, 2012: Climate change impacts on marine ecosystems. *Annual Review of Marine Science*, 4, 11-37, doi:10.1146/annurev-marine-041911-111611. [Available online at http://www.annualreviews.org/eprint/fzUZd7Z748TeHmB7p8cn/full/10.1146/annurev-marine-041911-111611]
- Feely, R. A., C. L. Sabine, R. H. Byrne, F. J. Millero, A. G. Dickson, R. Wanninkhof, A. Murata, L. A. Miller, and D. Greeley, 2012: Decadal changes in the aragonite and calcite saturation state of the Pacific Ocean. *Global Biogeochemical Cycles*, 26, GB3001, doi:10.1029/2011gb004157. [Available online at http://onlinelibrary. wiley.com/doi/10.1029/2011GB004157/pdf]

- Hoegh-Guldberg, O., P. J. Mumby, A. J. Hooten, R. S. Steneck, P. Greenfield, E. Gomez, C. D. Harvell, P. F. Sale, A. J. Edwards, K. Caldeira, N. Knowlton, C. M. Eakin, R. Iglesias-Prieto, N. Muthiga, R. H. Bradbury, A. Dubi, and M. E. Hatziolos, 2007: Coral reefs under rapid climate change and ocean acidification. Science, 318, 1737-1742, doi:10.1126/science.1152509.
- 31. Nye, J. A., J. S. Link, J. A. Hare, and W. J. Overholtz, 2009: Changing spatial distribution of fish stocks in relation to climate and population size on the Northeast United States continental shelf. *Marine Ecology Progress Series*, **393**, 111-129, doi:10.3354/meps08220.
- Chan, F., J. A. Barth, J. Lubchenco, A. Kirincich, H. Weeks, W. T. Peterson, and B. A. Menge, 2008: Emergence of anoxia in the California Current large marine ecosystem. *Science*, 319, 920, doi:10.1126/science.1149016.
- Grantham, B. A., F. Chan, K. J. Nielsen, D. S. Fox, J. A. Barth, A. Huyer, J. Lubchenco, and B. A. Menge, 2004: Upwellingdriven nearshore hypoxia signals ecosystem and oceanographic changes in the northeast Pacific. *Nature*, 429, 749-754, doi:10.1038/ nature02605.
- 34. NRC, 2012: Sea-Level Rise for the Coasts of California, Oregon, and Washington: Past, Present, and Future. National Research Council, Committee on Sea Level Rise in California, Oregon, Washington, Board on Earth Sciences Resources, Ocean Studies Board, Division on Earth Life Studies The National Academies Press, 201 pp. [Available online at http://www.nap.edu/catalog.php?record_id=13389]
- Craft, C., J. Clough, J. Ehman, S. Joyce, R. Park, S. Pennings, H. Guo, and M. Machmuller, 2009: Forecasting the effects of accelerated sea-level rise on tidal marsh ecosystem services. *Frontiers* in *Ecology and the Environment*, 7, 73-78, doi:10.1890/07219.
- Neubauer, S. C., and C. B. Craft, 2009: Global change and tidal freshwater wetlands: Scenarios and impacts. *Tidal Freshwater Wetlands*, A. Barendregt, D. F. Whigham, and A. H. Baldwin, Eds., Backhuys Publishers, 253-266.
- Conner, W. H., T. W. Doyle, and K. W. Krauss, Eds., 2007: Ecology of Tidal Freshwater Forested Wetlands of the Southeastern United States. Springer, 518 pp.
- Heberger, M., H. Cooley, P. Herrera, P. H. Gleick, and E. Moore, 2009: The Impacts of Sea-Level Rise on the California Coast. California Energy Commission Report CEC-500-2009-024-F, 115 pp., California Energy Commission, Sacramento, CA. [Available online at http://www.energy.ca.gov/2009publications/CEC-500-2009-024/CEC-500-2009-024-F.PDF]

- Strauss, B. H., R. Ziemlinski, J. L. Weiss, and J. T. Overpeck, 2012: Tidally adjusted estimates of topographic vulnerability to sea level rise and flooding for the contiguous United States. *Environmental* Research Letters, 7, 014033, doi:10.1088/1748-9326/7/1/014033.
- Weiss, J. L., J. T. Overpeck, and B. Strauss, 2011: Implications of recent sea level rise science for low-elevation areas in coastal cities of the conterminous U.S.A. A letter. *Climatic Change*, 105, 635-645, doi:10.1007/s10584-011-0024-x.
- Martinich, J., J. Neumann, L. Ludwig, and L. Jantarasami, 2013: Risks of sea level rise to disadvantaged communities in the United States. *Mitigation and Adaptation Strategies for Global Change*, 18, 169-185, doi:10.1007/s11027-011-9356-0. [Available online at http://link.springer.com/content/pdf/10.1007%2Fs11027-011-9356-0]
- Schmidtlein, M. C., R. C. Deutsch, W. W. Piegorsch, and S. L. Cutter, 2008: A sensitivity analysis of the social vulnerability index. Risk Analysis, 28, 1099-1114, doi:10.1111/j.1539-6924.2008.01072.x. [Available online at http://onlinelibrary.wiley.com/doi/10.1111/j.1539-6924.2008.01072.x/pdf]
- 43. Thieler, E. R., and E. S. Hammar-Klose, 1999: National Assessment of Coastal Vulnerability to Sea-Level Rise: Preliminary Results for the U.S. Atlantic Coast. U.S. Geological Survey Open-File Report 99-593, 1 Map Sheet., U.S. Department of the Interior, U.S. Geological Survey, Woods Hole, Massachusetts. [Available online at http://pubs.usgs.gov/of/of99-593/]
 - ——, 2000: National assessment of coastal vulnerability to sealevel rise: Preliminary results for the U.S. Gulf of Mexico Coast. U.S. Geological Survey Open-File Report 00-179, 1 map sheet., U.S. Department of the Interior, U.S. Geological Survey, Woods Hole, Massachusetts. [Available online at http://pubs.usgs.gov/of/2000/of00-179/]
 - ——, 2000: National assessment of coastal vulnerability to sealevel rise: Preliminary results for the U.S. Pacific Coast. U.S. Geological Survey Open-File Report 00-178, 1 map sheet., U.S. Department of the Interior, U.S. Geological Survey, Woods Hole, Massachusetts. [Available online at http://pubs.usgs.gov/of/of00-178/]
- 44. Aerts, J. C. J. H., and W. J. W. Botzen, 2012: Managing exposure to flooding in New York City. *Nature Climate Change*, **2**, 377-377, doi:10.1038/nclimate1487.
 - Bloetscher, F., B. N. Heimlich, and T. Romah, 2011: Counteracting the effects of sea level rise in Southeast Florida. *Journal of Environmental Science and Engineering*, **5**, 121-139.

- Biging, G., J. Radke, and J. H. Lee, 2012: Impacts of Predicted Sea-Level Rise and Extreme Storm Events on the Transportation Infrastructure in the San Francisco Bay Region. Publication number: CEC-500-2012-040. California Energy Commission. [Available online at http://www.energy.ca.gov/2012publications/ CEC-500-2012-040/CEC-500-2012-040.pdf]
- 46. DOT, 2011: A framework for considering climate change in transportation and land use scenario planning: final report. Lessons Learned from an Interagency Pilot Project on Cape Cod., U.S. Department of Transportation, John A. Volpe National Transportation Systems Center, Cambridge, MA. [Available online at http://www.volpe.dot.gov/coi/ppoa/publiclands/projects/docs/cape_cod_pilot_finalreport.pdf]
- Kirshen, P., R. Vogel, and K. Strzepek, 2011: Guidance Tools for Planning and Management of Urban Drainage Under a Changing Climate. Final Report to NOAA SARP Program, Grant NA07OAR4310373. Silver Spring, MD.
- 48. Wilbanks, T., S. Fernandez, G. Backus, P. Garcia, K. Jonietz, P. Kirshen, M. Savonis, B. Solecki, and L. Toole, 2012: Climate Change and Infrastructure, Urban Systems, and Vulnerabilities. Technical Report to the U.S. Department of Energy in Support of the National Climate Assessment, 119 pp., Oak Ridge National Laboratory. U.S Department of Energy, Office of Science, Oak Ridge, TN. [Available online at http://www.esd.ornl.gov/eess/Infrastructure.pdf]
- 49. Zimmerman, R., and C. Faris, 2010: Infrastructure impacts and adaptation challenges. *Annals of the New York Academy of Sciences*, 1196, 63-86, doi:10.1111/j.1749-6632.2009.05318.x.
- 50. ASCE, 2013: Failure to Act. The Impact of Current Infrastructure Investment on America's Economic Future, 28 pp., American Society of Civil Engineers, Reston, VA. [Available online at http:// www.asce.org/uploadedFiles/Infrastructure/Failure_to_Act/ Failure_to_Act_Report.pdf]
- 51. Kirshen, P., E. Douglas, M. Paolisso, and A. Enrici, 2012: Ch. 5: Social and cultural incentives and obstacles to adaptation to increased coastal flooding in East Boston, MA USA. Restoring Lands Coordinating Science, Politics and Action: Complexities of Climate and Governance, H. Karl, L. Scarlett, J. C. Vargas-Moreno, and M. Flaxman, Eds., Springer Netherlands, 85-107.
- 52. Douglass, S. L., and J. Krolak, 2008: Highways in the Coastal Environment, Hydraulic Engineering Circular No. 25, Second Edition. Publication No. FHWA-NHI-07-096, 250 pp., U.S. Department of Transportation Federal Highway Administration.
- 53. NOAA, 2012: State of the Coast: Sea Level Rise Impacts Transportation Infrastructure. NOAA's State of the Coast. National Oceanic and Atmospheric Administration. [Available online at http://stateofthecoast.noaa.gov/vulnerability/transportation.html]

- 54. U.S.A. Evacuation Routes, cited 2012: U.S.A. Evacuation Routes. University of North Carolina-Chapel Hill. [Available online at http://www.ibiblio.org/rcip/evacuationroutes.html]
- DOT, 2012: Climate Impacts and U.S. Transportation: Technical Input Report for the National Climate Assessment. DOT OST/P-33. U.S. Department of Transportation.
- Transportation Research Board, 2011: Annual report, 76 pp., Transportation Research Board of The National Academies, Washington, D.C. [Available online at http://onlinepubs.trb.org/onlinepubs/general/2011_TRB_Annual_Report.pdf]
- 57. FHWA, 2008: Highways in the Coastal Environment, Second Edition. Hydraulic Engineering Circular No. 25. FHWA-NHI-07-096. S. L. K. Douglass, J., Ed., 250 pp., Federal Highway Administration. Department of Civil Engineering, University of South Alabama, Mobile, AL. [Available online at http://www.fhwa.dot.gov/engineering/hydraulics/pubs/07096/07096.pdf]

FDEP, 2012: Critically Eroded Beaches in Florida, 76 pp., Florida Department of Environmental Protection, Bureau of Beaches and Coastal Systems, Division of Water Resource Management. [Available online at http://www.dep.state.fl.us/beaches/publications/pdf/critical-erosion-report-2012.pdf]

Texas General Land Office, cited 2012: Caring for the Coast: Coastal Management Program. State of Texas. [Available online at http://www.glo.texas.gov/what-we-do/caring-for-the-coast/grants-funding/cmp/index.html]

Wolshon, B., 2006: Evacuation planning and engineering for Hurricane Katrina. *The Bridge*, **36**, 27-34.

California King Tides Initiative, cited 2012: California King Tides
 Initiative. [Available online at http://www.californiakingtides.org/aboutus/]

State of Washington, cited 2012: Climate Change, King Tides in Washington State. Department of Ecology, State of Washington. [Available online at http://www.ecy.wa.gov/climatechange/ipa_hightide.htm]

Turner, S., 2011: Extreme high tides expected along RI coast; grab your camera. *East Greenwich Patch*, October 25, 2011. [Available online at http://eastgreenwich.patch.com/articles/extreme-high-tides-expected-along-ri-coast-b5b7ee05]

Watson, S., 2011: Alignment of the Sun, moon and Earth will cause unusually high tides. pressof Atlantic City.com, October 25, 2011. [Available online at http://www.pressofatlanticcity.com/news/top_three/sun-moon-earth-line-up-for-unusually-high-tides/article_4080f60a-ff70-11e0-ab3e-001cc4c002e0.html]

- MDOT, cited 2003: Bridge Design Guide. Maine Department of Transportation, Prepared Guertin Elkerton & Associates. [Available online at http://www.maine.gov/mdot/technicalpubs/bdg.htm]
- 60. Berry, L., M. Arockiasamy, F. Bloetscher, E. Kaisar, J. Rodriguez-Seda, P. Scarlatos, R. Teegavarapu, and N. Hammer, 2012: Development of a Methodology for the Assessment of Sea Level Rise Impacts on Florida's Transportation Modes and Infrastructure. Synthesis of Studies, Methodologies, Technologies, and Data Sources Used for Predicting Sea Level Rise, Timing, and Affected Areas in Florida, 148 pp., Florida Department of Transportation. [Available online at http://www.dot.state.fl.us/research-center/Completed_Proj/Summary_PL/FDOT_BDK79_977-01_rpt.pdf]
- Flood, J. F., and L. B. Cahoon, 2011: Risks to coastal wastewater collection systems from sea-level rise and climate change. *Journal of Coastal Research*, 27, 652-660, doi:10.2112/ JCOASTRES-D-10-00129.1. [Available online at http://www.jcronline.org/doi/pdf/10.2112/JCOASTRES-D-10-00129.1]

Water Research Foundation, 2012: Water Utilities and Climate Change: A Research Workshop on Effective System Adaptation. Web Report#4228. Denver, CO, Water Research Foundation, 46 pp. [Available online at www.waterrf.org/PublicReportLibrary/4228. pdf]

- Mailhot, A., and S. Duchesne, 2010: Design criteria of urban drainage infrastructures under climate change. *Journal of Water* Resources Planning and Management, 136, 201-208, doi:10.1061/(ASCE) WR.1943-5452.0000023.
- 63. Bierwagen, B. G., D. M. Theobald, C. R. Pyke, A. Choate, P. Groth, J. V. Thomas, and P. Morefield, 2010: National housing and impervious surface scenarios for integrated climate impact assessments. *Proceedings of the National Academy of Sciences*, 107, 20887-20892, doi:10.1073/pnas.1002096107.

Changnon, S. A., 2011: Temporal distribution of weather catastrophes in the USA. *Climatic Change*, **106**, 129-140, doi:10.1007/s10584-010-9927-1.

Toll, D. G., cited 2012: The Impact of Changes in the Water Table and Soil Moisture on Structural Stability of Buildings and Foundation Systems. Systematic review CEE10-005 (SR90). Collaboration for Environmental Evidence. [Available online at http://www.environmentalevidence.org/Documents/Draft_reviews/Draftreview10-005.pdf]

- 64. Bjerklie, D. M., J. R. Mullaney, J. R. Stone, B. J. Skinner, and M. A. Ramlow, 2012: Preliminary Investigation of the Effects of Sea-Level Rise on Groundwater Levels in New Haven, Connecticut. U.S. Geological Survey Open-File Report 2012-1025, 56 pp., U.S. Department of the Interior and U.S. Geological Survey. [Available online at http://pubs.usgs.gov/of/2012/1025/pdf/ofr2012-1025_report_508.pdf]
- 65. Johnson, L., 2012: Rising groundwater may flood underground infrastructure of coastal cities. *Scientific American*, May 2, 2012. Nature America, Inc. [Available online at http://www.scientificamerican.com/article.cfm?id=rising-groundwater-may-flood-underground-infrastructure-of-coastal-cities]
 - Peterson, T. C., P. A. Stott, and S. Herring, 2012: Explaining extreme events of 2011 from a climate perspective. *Bulletin of the American Meteorological Society*, **93**, 1041-1067, doi:10.1175/BAMS-D-12-00021.1. [Available online at http://journals.ametsoc.org/doi/pdf/10.1175/BAMS-D-12-00021.1]
- Solecki, W., and C. Rosenzweig, Eds., 2012: U.S. Cities and Climate Change: Urban, Infrastructure, and Vulnerability Issues, Technical Input Report Series, U.S. National Climate Assessment.
 - Hilton, T. W., R. G. Najjar, L. Zhong, and M. Li, 2008: Is there a signal of sea-level rise in Chesapeake Bay salinity? *Journal of Geophysical Research: Oceans*, **113**, C09002, doi:10.1029/2007jc004247. [Available online at http://onlinelibrary.wiley.com/doi/10.1029/2007JC004247/pdf]
- 67. CCAP and EESI, 2012: Climate Adaptation & Transportation: Identifying Information and Assistance Needs. Washington, D.C., Center for Clean Air Policy and Environmental and Energy Study Institute, 66 pp. [Available online at http://cakex.org/virtual-library/climate-adaptation-transportation-identifying-information-and-assistance-needs]
- 68. EPA, 2008: A Screening Assessment of the Potential Impacts of Climate Change on Combined Sewer Overflow (CSO) Mitigation in the Great Lakes and New England Regions. EPA/600/R-07/033F, 50 pp., U.S. Environmental Protection Agency, Washington, D.C. [Available online at http://ofmpub.epa.gov/eims/eimscomm. getfile?p_download_id=472009]
- 69. Kenward, A., D. Yawitz, and U. Raja, 2013: Sewage Overflows From Hurricane Sandy, 43 pp., Climate Central. [Available online at http://www.climatecentral.org/pdfs/Sewage.pdf]
- Freas, K., L. van der Tak, J. Kepke, P. Pasteris, and P. Karney, 2011: Confronting climate change: An early analysis of water and wastewater adaptation costs through 2050. Proceedings of the Water Environment Federation, Energy and Water 2011, 27, 871-897, doi:10.217 5/193864711802836319.

- WERF, 2009: Implications of Climate Change for Adaptation by Wastewater and Stormwater Agencies. Report # CC2R08. Water Environment Research Foundation, Alexandria, VA. [Available online at www.climatestrategies.us/library/library/download/960]
- 71. AMWA, 2009: Confronting Climate Change: An Early Analysis of Water and Wastewater Adaptation Costs, 104 pp., Association of Metropolitan Water Agencies. [Available online at http://www.amwa.net/galleries/climate-change/ConfrontingClimateChangeOct09.pdf]
- 72. Hayhoe, K., M. Robson, J. Rogula, M. Auffhammer, N. Miller, J. VanDorn, and D. Wuebbles, 2010: An integrated framework for quantifying and valuing climate change impacts on urban energy and infrastructure: A Chicago case study. *Journal of Great Lakes Research*, 36, 94-105, doi:10.1016/j.jglr.2010.03.011.
 - Perez, P. R., 2009: Potential Impacts of Climate Change on California's Energy Infrastructure and Identification of Adaptation Measures: Staff Paper. California Energy Commission, 23 pp.
 - Sathaye, J., L. Dale, P. Larsen, G. Fitts, K. Koy, S. Lewis, and A. Lucena, 2011: Estimating Risk to California Energy Infrastructure from Projected Climate Change, 85 pp., Ernest Orlando Lawrence Berkeley National Laboratory, California Energy Commission, Berkeley, CA. [Available online at http://www.osti.gov/bridge/servlets/purl/1026811/1026811.PDF]
- Francis, R. A., S. M. Falconi, R. Nateghi, and S. D. Guikema, 2011: Probabilistic life cycle analysis model for evaluating electric power infrastructure risk mitigation investments. *Climatic Change*, 106, 31-55, doi:10.1007/s10584-010-0001-9.
 - Rosato, V., L. Issacharoff, F. Tiriticco, S. Meloni, S. Porcellinis, and R. Setola, 2008: Modelling interdependent infrastructures using interacting dynamical models. *International Journal of Critical Infrastructures*, **4**, 63-79, doi:10.1504/IJCIS.2008.016092.
 - Vugrin, E. D., and R. C. Camphouse, 2011: Infrastructure resilience assessment through control design. *International Journal of Critical Infrastructures*, **7**, 243-260, doi:10.1504/IJCIS.2011.042994.
 - Zimmerman, R., 2006: Ch. 34: Critical infrastructure and interdependency. *The McGraw-Hill Homeland Security Handbook*, D. G. Kamien, Ed., McGraw-Hill, pp. 523-545.
 - Vugrin, E. D., D. E. Warren, M. A. Ehlen, and R. C. Camphouse, 2010: A framework for assessing the resilience of infrastructure and economic systems. *Sustainable and Resilient Critical Infrastructure Systems*, K. Gopalakrishnan, and S. Peeta, Eds., Springer Berlin Heidelberg, 77-116.

- Hallegatte, S., 2008: Adaptation to climate change: Do not count on climate scientists to do your work, 15 pp. [Available online at http:// regulation2point0.org/wp-content/uploads/downloads/2010/04/ RP08-01_topost.pdf]
 - U.S. Government, 2009: Executive Order 13514. Federal Leadership in Environmental, Energy, and Economic Performance. *Federal Register*, **74**, 52117-52127. [Available online at http://www.whitehouse.gov/assets/documents/2009fedleader_eo_rel.pdf]
- 75. SFRPC, cited 2012: Statewide Regional Evacuation Study Program. South Florida Regional Planning Council. [Available online at http://www.sfrpc.com/sresp.htm]
 - ——, 2012: Turkey Point Expansion Draft Agency Report on the Power Plant and Non-Transmission Associated Facilities. South Florida Regional Planning Council [Available online at http://www.sfrpc.com/council/05-07-12/Agenda%20May12_IIIG.pdf]
 - SFRCCC, 2012: A Region Responds to a Changing Climate. Southeast Florida Regional Climate Change Compact Counties. Regional Climate Action Plan, 80 pp., South Florida Regional Climate Change Compact Broward, Miami-Dade, Monroe, and Palm Beach Counties, FL. [Available online at http://southeastfloridaclimatecompact.org/pdf/Regional%20 Climate%20Action%20Plan%20FINAL%20ADA%20Compliant. pdf]
- Davoudi, S., J. Crawford, and A. Mehmood, Eds., 2009: Planning for Climate Change: Strategies for Mitigation and Adaptation for Spatial Planners. Routledge, 344 pp.
 - Jones, H. P., D. G. Hole, and E. S. Zavaleta, 2012: Harnessing nature to help people adapt to climate change. *Nature Climate Change*, **2**, 504-509, doi:10.1038/nclimate1463.
 - Nolon, J. R., and P. E. Salkin, 2011: Integrating sustainable development planning and climate change management: A challenge to planners and land use attorneys. *Planning & Environmental Law*, **63**, 3-10, doi:10.1080/15480755.2011.560769. [Available online at http://digitalcommons.pace.edu/cgi/viewcontent.cgi?article=1819 &context=lawfaculty]
 - Tzoulas, K., K. Korpela, S. Venn, V. Yli-Pelkonen, A. Kazmierczak, J. Niemela, and P. James, 2007: Promoting ecosystem and human health in urban areas using Green Infrastructure: A literature review. *Landscape and Urban Planning*, **81**, 167-178, doi:10.1016/j. landurbplan.2007.02.001.
- 77. Irish, J. L., and D. T. Resio, 2010: A hydrodynamics-based surge scale for hurricanes. *Ocean Engineering*, **37**, 69-81, doi:10.1016/j. oceaneng.2009.07.012.

- Roseen, R., T. Janeski, J. Houle, M. Simpson, and J. Gunderson, 2011: Forging the Link: Linking the Economic Benefits of Low Impact Development and Community Decisions, 14 pp., The UNH Stormwater Center, University of New Hampshire. [Available online at http://www.unh.edu/unhsc/sites/unh.edu.unhsc/files/docs/FTL_FactSheets%20ALL%20LR.pdf]
- NOAA, cited 2012: NOAA's State of the Coast. Economy: Ports

 Crucial Coastal Infrastructure. Department of Commerce,
 National Oceanic and Atmospheric Administration. [Available online at http://stateofthecoast.noaa.gov/ports/]
- Neumann, J., D. Hudgens, J. Herter, and J. Martinich, 2010: The economics of adaptation along developed coastlines. Wiley Interdisciplinary Reviews: Climate Change, 2, 89-98, doi:10.1002/wcc.90. [Available online at http://onlinelibrary.wiley.com/doi/10.1002/wcc.90/pdf]
- Neumann, J. E., D. E. Hudgens, J. Herter, and J. Martinich, 2010: Assessing sea-level rise impacts: A GIS-based framework and application to coastal New Jersey. *Coastal Management*, 38, 433-455, doi:10.1080/08920753.2010.496105.
- Cooley, H., E. Moore, M. Heberger, and L. Allen, 2012: Social Vulnerability to Climate Change in California. California Energy Commission. Publication Number: CEC-500-2012-013, 69 pp., Pacific Institute, Oakland, CA. [Available online at http://www.energy.ca.gov/2012publications/CEC-500-2012-013/CEC-500-2012-013.pdf]
- 82. AWF/AEC/Entergy, 2010: Building a Resilient Energy Gulf Coast: Executive Report, 11 pp., America's Wetland Foundation, America's Energy Coast, and Entergy. [Available online at www.entergy.com/content/our_community/environment/GulfCoastAdaptation/Building_a_Resilient_Gulf_Coast.pdf]
- 83. State of Louisiana, 2012: Louisiana's Comprehensive Master Plan for a Sustainable Coast. Coastal Protection and Restoration Authority, State of Louisiana, Baton Rouge, LA. [Available online at http://www.coastalmasterplan.louisiana.gov/2012-master-plan/final-master-plan/]
- 84. Cordero, M., 2011: Commissioner Mario Cordero Federal Maritime Commission remarks at the Global Shippers Forum International Luncheon. Global Shippers Forum International Luncheon, Atlanta, GA, 4 pp. [Available online at http://www.fmc.gov/assets/1/News/Cordero_Remarks_NITLeague_GSF_%20 Luncheon_11_16_2011.pdf]

IMO, 2012: IMO's Contribution to Sustainable Maritime Development: Capacity-Building for Safe, Secure and Efficient Shipping on Clean Oceans Through the Integrated Technical Co-Operation Programme, 12 pp., International Maritime organization, London, UK. [Available online at http://www.imo.org/OurWork/TechnicalCooperation/Documents/Brochure/English.pdf]

USN, 2007: A Cooperative Strategy for 21st Century Seapower, 20 pp., U.S. Navy, Marine Corps, and Coast Guard, Kissimmee, FL. [Available online at http://www.navy.mil/maritime/Maritimestrategy.pdf]

- 85. IAPH, 2011: Seaports and Climate Change: An Analysis of Adaptation Measures, 5 pp., International Association of Ports and Harbors. [Available online at http://www.iaphworldports.org/ Portals/100/books/library/others/SeaportsClimateChange2011/ digest/]
- Becker, A., S. Inoue, M. Fischer, and B. Schwegler, 2012: Climate change impacts on international seaports: Knowledge, perceptions, and planning efforts among port administrators. *Climatic Change*, 110, 5-29, doi:10.1007/s10584-011-0043-7.
- 87. DOT, cited 2010: Freight Analysis Framework (Version 3) Data Tabulation Tool, Total Flows. U.S. Department of Transportation. [Available online at http://faf.ornl.gov/fafweb/Extraction1.aspx]
- 88. NOAA, 1998: National Ocean Report. NOAA's Office of Public and Constituent Affairs. [Available online at http://www.publicaffairs.noaa.gov/oceanreport/tourism.html]
 - U.S. Travel Association, cited 2012: U.S. Travel Forecasts. U.S. Travel Association. [Available online at http://www.ustravel.org/sites/default/files/page/2009/09/ForecastSummary.pdf]
- Amelung, B., A. Moreno, and D. Scott, 2008: The place of tourism in the IPCC Fourth Assessment Report: A review. *Tourism Review International*, 12, 5-12, doi:10.3727/154427208785899984.
- Nordstrom, K. F., N. L. Jackson, N. C. Kraus, T. W. Kana, R. Bearce, L. M. Bocamazo, D. R. Young, and H. A. de Butts, 2011: Enhancing geomorphic and biologic functions and values on backshores and dunes of developed shores: A review of opportunities and constraints. *Environmental Conservation*, 38, 288-302, doi:10.1017/S0376892911000221.

Pendleton, L., P. King, C. Mohn, D. G. Webster, R. Vaughn, and P. N. Adams, 2011: Estimating the potential economic impacts of climate change on Southern California beaches. *Climatic Change*, **109**, 278-298, doi:10.1007/s10584-011-0309-0. [Available online at http://geomorph.geology.ufl.edu/adamsp/Outgoing/Pubs/Pendleton_EtAl_2011_ClimChng.pdf]

- 91. Caldwell, M. R., E. Hartge, L. Ewing, G. Griggs, R. Kelly, S. Moser, S. Newkirk, R. Smyth, and B. Woodson, 2012: Ch. 9: Coastal issues. Assessment of Climate Change in the Southwest United States: A Report Prepared for the U.S. National Climate Assessment, R. Lunde, G. Garfin, A. Jardine, R. Merideth, M. Black, and J. Overpeck, Eds., Southwest Climate Alliance, 274-327.
- Kittinger, J. N., and A. L. Ayers, 2010: Shoreline armoring, risk management, and coastal resilience under rising seas. *Coastal Management*, 38, 634-653, doi:10.1080/08920753.2010.529038.
 - NRC, 1995: Beach Nourishment and Protection. National Research Council, Marine Board, Committee on Beach Nourishment and Protection. National Rearch Council. The National Academies Press 352 pp. [Available online at http://www.nap.edu/catalog.php?record_id=4984]
- 93. Marra, J. J., M. A. Merrifield, and W. V. Sweet, 2012: Ch. 3: Sea level and coastal inundation on Pacific Islands. Climate Change and Pacific Islands: Indicators and Impacts. Report for the 2012 Pacific Islands Regional Climate Assessment (PIRCA), V. Keener, J. J. Marra, M. L. Finucane, D. Spooner, and M. H. Smith, Eds., 65-87.
- Barbier, E. B., S. D. Hacker, C. Kennedy, E. W. Koch, A. C. Stier, and B. R. Silliman, 2011: The value of estuarine and coastal ecosystem services. *Ecological Monographs*, 81, 169-193, doi:10.1890/10-1510.1. [Available online at http://www.esajournals.org/doi/pdf/10.1890/10-1510.1]
- 95. Ruckelshaus, M., S. C. Doney, H. M. Galindo, J. P. Barry, F. Chan, J. E. Duffy, C. A. English, S. D. Gaines, J. M. Grebmeier, A. B. Hollowed, N. Knowlton, J. Polovina, N. N. Rabalais, W. J. Sydeman, and L. D. Talley, 2013: Securing ocean benefits for society in the face of climate change. *Marine Policy*, 40, 154-159, doi:10.1016/j.marpol.2013.01.009.
- 96. NMFS, 2010: Fisheries Economics of the United States, 2009. U.S. Department of Commerce, NOAA Technical Memorandum NOAA NMFS-F/SPO-118, 172 pp., National Marine Fisheries Service, Silver Spring, MD. [Available online at http://www.st.nmfs.noaa.gov/st5/publication/econ/2009/FEUS%202009%20 ALL.pdf]
- Crowell, M., K. Coulton, C. Johnson, J. Westcott, D. Bellomo, S. Edelman, and E. Hirsch, 2010: An estimate of the U.S. population living in 100-year coastal flood hazard areas. *Journal of Coastal Research* 262, 201-211, doi:10.2112/JCOASTRES-D-09-00076.1.
- Crowell, M., J. Westcott, S. Phelps, T. Mahoney, K. Coulton, and D. Bellomo, 2013: Estimating the United States population at risk from coastal flood-related hazards. *Coastal Hazards*, C. W. Finkl, Ed., Springer, 151-183. [Available online at http://link.springer. com/content/pdf/bfm%3A978-94-007-5234-4%2F1.pdf]

- EPA, 2010: Climate Change Vulnerability Assessments: A Review of Water Utility Practices. EPA 800-R-10-001, 32 pp., U.S. Environmental Protection Agency, Washington, D.C. [Available online at http://water.epa.gov/scitech/climatechange/upload/ Climate-Change-Vulnerability-Assessments-Sept-2010.pdf]
 - IPCC, 2000: Special Report on Emissions Scenarios. A Special Report of Working Group III of the Intergovernmental Panel on Climate Change. Cambridge University Press, 570 pp. [Available online at http://www.ipcc.ch/ipccreports/sres/emission/index.php?idp=0]
- 100. Carson, S. T., and B. E. Montz, 2009: Planning for climate change: An analysis of vulnerability in Suffolk County, New York. *Environmental Hazards*, 8, 133-148, doi:10.3763/ehaz.2009.0009.
 - Kleinosky, L. R., B. Yarnal, and A. Fisher, 2007: Vulnerability of Hampton Roads, Virginia to storm-surge flooding and sea-level rise. *Natural Hazards*, **40**, 43-70, doi:10.1007/s11069-006-0004-z.
- 101. Pielke, R. A., Jr., 2007: Future economic damage from tropical cyclones: Sensitivities to societal and climate changes. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 365, 2717-2729, doi:10.1098/rsta.2007.2086. [Available online at http://rsta.royalsocietypublishing.org/content/365/1860/2717.full.pdf+html]
 - Zhang, K., and S. Leatherman, 2011: Barrier island population along the U.S. Atlantic and Gulf Coasts. *Journal of Coastal Research*, **27**, 356-363, doi:10.2112/jcoastres-d-10-00126.1.
- 102. Davis, M. A., and M. G. Palumbo, 2008: The price of residential land in large US cities. *Journal of Urban Economics*, **63**, 352-384, doi:10.1016/j.jue.2007.02.003.
 - Zabel, J. E., 2004: The demand for housing services. *Journal of Housing Economics*, **13**, 16-35, doi:10.1016/j.jhe.2003.12.002.
- 103. Burton, C., and S. Cutter, 2008: Levee failures and social vulnerability in the Sacramento-San Joaquin Delta area, California. *Natural Hazards Review*, 9, 136, doi:10.1061/(ASCE)1527-6988(2008)9:3(136).
 - Cutter, S. L., and C. Finch, 2008: Temporal and spatial changes in social vulnerability to natural hazards. *Proceedings of the National Academy of Sciences*, **105**, 2301-2306, doi:10.1073/pnas.0710375105.
 - Emrich, C. T., and S. L. Cutter, 2011: Social vulnerability to climatesensitive hazards in the southern United States. *Weather, Climate, and Society*, **3**, 193-208, doi:10.1175/2011WCAS1092.1. [Available online at http://journals.ametsoc.org/doi/pdf/10.1175/2011WCAS1092.1]
 - Oxfam America, 2009: Exposed: Social Vulnerability and Climate Change in the US Southeast, 24 pp., Oxfam America Inc., Boston, MA. [Available online at http://adapt.oxfamamerica.org/resources/Exposed_Report.pdf]

- Rygel, L., D. O'Sullivan, and B. Yarnal, 2006: A method for constructing a Social Vulnerability Index: An application to hurricane storm surges in a developed country. *Mitigation and Adaptation Strategies for Global Change*, **11**, 741-764, doi:10.1007/s11027-006-0265-6. [Available online at http://www.cara.psu.edu/about/publications/Rygel_et_al_MASGC.pdf]]
- 104. Clark, G. E., S. C. Moser, S. J. Ratick, K. Dow, W. B. Meyer, S. Emani, W. Jin, J. X. Kasperson, R. E. Kasperson, and H. E. Schwarz, 1998: Assessing the vulnerability of coastal communities to extreme storms: The case of Revere, MA., USA. *Mitigation and Adaptation Strategies for Global Change*, 3, 59-82, doi:10.1023/A:1009609710795.
 - Cutter, S. L., B. J. Boruff, and W. L. Shirley, 2003: Social vulnerability to environmental hazards. *Social Science Quarterly*, **84**, 242-261, doi:10.1111/1540-6237.8402002.
 - Moser, S. C., R. E. Kasperson, G. Yohe, and J. Agyeman, 2008: Adaptation to climate change in the Northeast United States: Opportunities, processes, constraints. *Mitigation and Adaptation Strategies for Global Change*, **13**, 643-659, doi:10.1007/s11027-007-9132-3. [Available online at http://www.northeastclimateimpacts.org/pdf/miti/moser_et_al.pdf]
 - Texas Health Institute, 2012: Climate Change, Environmental Challenges and Vulnerable Communities: Assessing Legacies of the Past, Building Opportunities for the Future, 109 pp., The Joint Center for Political and Economic Studies Research Project, Washington, D.C. [Available online at http://www.jointcenter.org/docs/Climate_Change_Full_Report.pdf]
- 105. Papiez, C., 2009: Climate Change Implications for the Quileute and Hoh Tribes of Washington: A Multidisciplinary Approach to Assessing Climatic Disruptions to Coastal Indigenous Communities. Master's Thesis, Environmental Studies, The Evergreen State College, 119 pp. [Available online at http://academic.evergreen.edu/g/grossmaz/Papiez_MES_Thesis.pdf]
 - Tribal Climate Change Project, 2010: Tribal Climate Change Profile: Coquille Indian Tribe: Planning for the Effects of Climate Change and Reducing Greenhouse Gas Emissions. Technical Input Report to the National Climate Assessment 2013. U.S. Department of Agriculture, U.S. Forest Service Pacific Northwest Research Station, University of Oregon. [Available online at http://tribalclimate.uoregon.edu/files/2010/11/tribes_Coquille_web1.pdf]
- 106. Cochran, P., O. H. Huntington, C. Pungowiyi, S. Tom, F. S. Chapin, III, H. P. Huntington, N. G. Maynard, and S. F. Trainor, 2013: Indigenous frameworks for observing and responding to climate change in Alaska. *Climatic Change*, 120, 557-567, doi:10.1007/s10584-013-0735-2.

Tribal Climate Change Project, 2008: Tribal Climate Change Profile: Biloxi-Chitimacha-Choctaw Indians: Rising Tides. Technical Input Report to the National Climate Assessment 2013, 3 pp., Institute for Tribal Environmental Professionals, Northern Arizona University, U.S. Environmental Protection Agency. [Available online at http://www4.nau.edu/tribalclimatechange/tribes/docs/tribes_RisingTides.pdf]

- ——, 2008: Tribal Climate Change Profile: Passamaquoddy Tribe at Pleasant Point: Climate Change Impacts and Strategies. Technical Input Report to the National Climate Assessment 2013. U.S. Department of Agriculture, U.S. Forest Service Pacific Northwest Research Station, University of Oregon. [Available online at http://www.tribesandclimatechange.org/docs/tribes_378.pdf]
- 107. Bronen, R., 2011: Climate-induced community relocations: Creating an adaptive governance framework based in human rights doctrine. NYU Review Law & Social Change, 35, 357-408. [Available online at http://socialchangenyu.files.wordpress.com/2012/08/climate-induced-migration-bronen-35-2.pdf]
- 108. Maldonado, J. K., C. Shearer, R. Bronen, K. Peterson, and H. Lazrus, 2013: The impact of climate change on tribal communities in the US: Displacement, relocation, and human rights. *Climatic Change*, 120, 601-614, doi:10.1007/s10584-013-0746-z.
- 109. Titus, J. G., D. E. Hudgens, D. L. Trescott, M. Craghan, W. H. Nuckols, C. H. Hershner, J. M. Kassakian, C. J. Linn, P. G. Merritt, T. M. McCue, J. F. O'Connell, J. Tanski, and J. Wang, 2009: State and local governments plan for development of most land vulnerable to rising sea level along the US Atlantic coast. *Environmental Research Letters*, 4, doi:10.1088/1748-9326/4/4/044008.
- Whyte, K. P., 2013: Justice forward: Tribes, climate adaptation and responsibility. *Climatic Change*, 120, 517-530, doi:10.1007/s10584-013-0743-2.
- 111. Coastal Louisiana Tribal Communities, 2012: Stories of Change: Coastal Louisiana Tribal Communities' Experiences of a Transforming Environment (Grand Bayou, Grand Caillou/Dulac, Isle de Jean Charles, Pointe-au-Chien). Workshop Report Input into the National Climate Assessment. Pointe-aux-Chenes, Louisiana.
- 112. Holzman, D. C., 2012: Accounting for nature's benefits: The dollar value of ecosystem services. Environmental Health Perspectives, 120, a152-a157, doi:10.1289/ehp.120-a152. [Available online at http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3339477/pdf/ehp.120-a152.pdf]
 - Millennium Ecosystem Assessment, 2005: Ecosystems and Human Well-Being. Health Synthesis. Island Press, 53 pp.

- Costanza, R., O. Pérez-Maqueo, M. L. Martinez, P. Sutton, S. J. Anderson, and K. Mulder, 2008: The value of coastal wetlands for hurricane protection. *AMBIO: A Journal of the Human Environment*, **37**, 241-248, doi:10.1579/0044-7447(2008)37[241:tv ocwf]2.0.co;2. [Available online at http://www.bioone.org/doi/pdf/10.1579/0044-7447%282008%2937%5B241%3ATVOCWF%5D2.0.CO%3B2]
- 113. Principe, P., P. Bradley, S. H. Yee, W. S. Fisher, E. D. Johnson, P. Allen, and D. E. Campbell, 2012: Quantifying Coral Reef Ecosystem Services. EPA/600/R-11/206, 158 pp., U.S. Environmental Protection Agency, Office of Research and Development, Washington, D.C. [Available online at http://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=239984]
- 114. EPA, 2012: National Coastal Condition Report IV. EPA-842-R-10-003, 368 pp., U.S. Environmental Protection Agency, Washington, D.C. [Available online at http://water.epa.gov/type/oceb/assessmonitor/nccr/upload/NCCR4-Report.pdf]
- 115. Waddell, J., and A. D. Clarke, 2008: The State of Coral Reef Ecosystems of the United States and Pacific Freely Associated States: 2008. NOAA Technical Memorandum NOS NCCOS 73. NOAA/NCCOS Center for Coastal Monitoring and Assessment's Biogeography Team, 569 pp., NOAA/NCCOS Center for Coastal Monitoring and Assessment Biogeography Team, Silver Spring, MD. [Available online at http://ccma.nos.noaa.gov/ecosystems/coralreef/coral2008/pdf/CoralReport2008.pdf]
- 116. Burke, L., L. Reytar, M. Spalding, and A. Perry, 2011: Reefs at Risk Revisited. World Resources Institute, 130 pp. [Available online at http://pdf.wri.org/reefs_at_risk_revisited.pdf]
- 117. Crawford, T. W., D. J. Marcucci, and A. Bennett, 2013: Impacts of residential development on vegetation cover for a remote coastal barrier in the Outer Banks of North Carolina, USA. *Journal of Coastal Conservation*, 17, 431-443, doi:10.1007/s11852-013-0241-8.
 - Feagin, R. A., W. K. Smith, N. P. Psuty, D. R. Young, M. L. Martínez, G. A. Carter, K. L. Lucas, J. C. Gibeaut, J. N. Gemma, and R. E. Koske, 2010: Barrier islands: Coupling anthropogenic stability with ecological sustainability. *Journal of Coastal Research*, **26**, 987-992, doi:10.2112/09-1185.1. [Available online at http://www.jcronline.org/doi/abs/10.2112/09-1185.1]
- 118. Couvillion, B. R., J. A. Barras, G. D. Steyer, W. Sleavin, M. Fischer, H. Beck, N. Trahan, B. Griffin, and D. Heckman, 2011: Land Area Change in Coastal Louisiana From 1932 to 2010: U.S. Geological Survey Scientific Investigations Map 3164. U.S. Geological Survey. [Available online at http://pubs.usgs.gov/sim/3164/]
 - Yuill, B., D. Lavoie, and D. J. Reed, 2009: Understanding subsidence processes in coastal Louisiana. *Journal of Coastal Research*, **54**, 23-36, doi:10.2112/SI54-012.1.

- 119. Diaz, R. J., and R. Rosenberg, 2008: Spreading dead zones and consequences for marine ecosystems. *Science*, **321**, 926-929, doi:10.1126/science.1156401.
 - CENR, 2010: Scientific Assessment of Hypoxia in U.S. Coastal Waters. Interagency Working Group on Harmful Algal Blooms, Hypoxia, and Human Health of the Joint Subcommittee on Ocean Science and Technology, 154 pp., Committee on Environment and Natural Resources, Washington, D.C. [Available online at http://www.whitehouse.gov/sites/default/files/microsites/ostp/hypoxia-report.pdf]
- 120. State of Louisiana, 2012: Louisiana's Comprehensive Master Plan for a Sustainable Coast. Coastal Protection and Restoration Authority, State of Louisiana, Baton Rouge, LA. [Available online at http://www.coastalmasterplan.louisiana.gov/2012-master-plan/final-master-plan/]
- 121. Petes, L. E., A. J. Brown, and C. R. Knight, 2012: Impacts of upstream drought and water withdrawals on the health and survival of downstream estuarine oyster populations. *Ecology and Evolution*, 2, 1712-1724, doi:10.1002/ece3.291. [Available online at http://onlinelibrary.wiley.com/doi/10.1002/ece3.291/pdf]
- 122. Barton, A., B. Hales, G. G. Waldbusser, C. Langdon, and R. A. Feely, 2012: The Pacific oyster, *Crassostrea gigas*, shows negative correlation to naturally elevated carbon dioxide levels: Implications for near-term ocean acidification effects. *Limnology and Oceanography*, 57, 698-710, doi:10.4319/lo.2012.57.3.0698.
- 123. Dawson, T. P., S. T. Jackson, J. I. House, I. C. Prentice, and G. M. Mace, 2011: Beyond predictions: Biodiversity conservation in a changing climate. *Science*, 332, 53-58, doi:10.1126/science.1200303.
- 124. Feder, M. E., 2010: Physiology and global climate change. *Annual Review of Physiology*, **72**, 123-125, doi:10.1146/annurev-physiol-091809-100229.
 - Foden, W., G. Mace, J.-C. Vié, A. Angulo, S. Butchart, L. DeVantier, H. Dublin, A. Gutsche, S. Stuart, and E. Turak, 2008: Species susceptibility to climate change impacts. *The 2008 Review of The IUCN Red List of Threatened Species*, J.-C. Vié, C. Hilton-Taylor, and S. N. Stuart, Eds., IUCN.
 - Hoegh-Guldberg, O., 1999: Climate change, coral bleaching and the future of the world's coral reefs. *Marine and Freshwater Research*, **50**, 839-866, doi:10.1071/MF99078. [Available online at http://www.publish.csiro.au/paper/MF99078]
 - Hofmann, G. E., and A. E. Todgham, 2010: Living in the now: Physiological mechanisms to tolerate a rapidly changing environment. *Annual Review of Physiology*, **72**, 127-145, doi:10.1146/annurev-physiol-021909-135900.

- Montoya, J. M., and D. Raffaelli, 2010: Climate change, biotic interactions and ecosystem services. *Philosophical Transactions of the Royal Society B: Biological Sciences*, **365**, 2013-2018, doi:10.1098/rstb.2010.0114. [Available online at http://rstb.royalsocietypublishing.org/content/365/1549/2013.full.pdf+html]
- 125. Alongi, D. M., 2008: Mangrove forests: Resilience, protection from tsunamis, and responses to global climate change. *Estuarine, Coastal and Shelf Science*, **76**, 1-13, doi:10.1016/j.ecss.2007.08.024.
- 126. Kirwan, M. L., G. R. Guntenspergen, A. D'Alpaos, J. T. Morris, S. M. Mudd, and S. Temmerman, 2010: Limits on the adaptability of coastal marshes to rising sea level. *Geophysical Research Letters*, 37, L23401, doi:10.1029/2010gl045489. [Available online at http://onlinelibrary.wiley.com/doi/10.1029/2010GL045489/pdf]
- 127. Jones, S. J., N. Mieszkowska, and D. S. Wethey, 2009: Linking thermal tolerances and biogeography: *Mytilus edulis* (l.) at its southern limit on the east coast of the United States. *The Biological Bulletin*, 217, 73-85. [Available online at http://www.biolbull.org/content/217/1/73.full.pdf+html]
- 128. Gedan, K. B., B. R. Silliman, and M. D. Bertness, 2009: Centuries of human-driven change in salt marsh ecosystems. *Annual Review of Marine Science*, **1**, 117-141, doi:10.1146/annurev.marine.010908.163930.
- 129. Glick, P., B. A. Stein, and N. A. Edelson, 2011: Scanning the Conservation Horizon: A Guide to Climate Change Vulnerability Assessment. National Wildlife Federation, 176 pp.
- 130. Williams, S. L., and E. D. Grosholz, 2008: The invasive species challenge in estuarine and coastal environments: Marrying management and science. *Estuaries and Coasts*, 31, 3-20, doi:10.1007/ s12237-007-9031-6.
- 131. Feagin, R. A., M. L. Martinez, G. Mendoza-Gonzalez, and R. Costanza, 2010: Salt marsh zonal migration and ecosystem service change in response to global sea level rise: A case study from an urban region. *Ecology and Society*, 15, 14. [Available online at http://www.ecologyandsociety.org/vol15/iss4/art14/]
- 132. Phillips, J. D., and M. C. Slattery, 2006: Sediment storage, sea level, and sediment delivery to the ocean by coastal plain rivers. *Progress in Physical Geography*, **30**, 513-530, doi:10.1191/0309133306pp494ra.
- 133. Stralberg, D., M. Brennan, J. C. Callaway, J. K. Wood, L. M. Schile, D. Jongsomjit, M. Kelly, V. T. Parker, and S. Crooks, 2011: Evaluating tidal marsh sustainability in the face of sea-level rise: A hybrid modeling approach applied to San Francisco Bay. *PLoS ONE*, **6**, e27388, doi:10.1371/journal.pone.0027388. [Available online at http://www.plosone.org/article/fetchObject.action?uri=info%3Adoi%2F10.1371%2Fjournal.pone.0027388&representation=PDF]

- 134. Hoegh-Guldberg, O., and J. F. Bruno, 2010: The impact of climate change on the world's marine ecosystems. *Science*, **328**, 1523-1528, doi:10.1126/science.1189930.
- 135. Barnosky, A. D., E. A. Hadly, J. Bascompte, E. L. Berlow, J. H. Brown, M. Fortelius, W. M. Getz, J. Harte, A. Hastings, P. A. Marquet, N. D. Martinez, A. Mooers, P. Roopnarine, G. Vermeij, J. W. Williams, R. Gillespie, J. Kitzes, C. Marshall, N. Matske, D. P. Mindell, E. Revilla, and A. B. Smith, 2012: Approaching a state shift in Earth's biosphere. *Nature*, 486, 52-58, doi:10.1038/nature11018.
- 136. Burkett, V. R., D. A. Wilcox, R. Stottlemyer, W. Barrow, D. Fagre, J. Baron, J. Price, J. L. Nielsen, C. D. Allen, D. L. Peterson, G. Ruggerone, and T. Doyle, 2005: Nonlinear dynamics in ecosystem response to climatic change: Case studies and policy implications. *Ecological Complexity*, 2, 357-394, doi:10.1016/j.ecocom.2005.04.010. [Available online at http://www.fs.fed.us/psw/cirmount/wkgrps/ecosys_resp/postings/pdf/Burkett2005EcoCom357.pdf]
 - CCSP, 2009: Thresholds of Climate Change in Ecosystems. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research. U.S. Climate Change Science Program Synthesis and Assessment Product 4.2. C. D. Allen, C. Birkeland, F. S. Chapin, III, P. M. Groffman, G. R. Guntenspergen, A. K. Knapp, A. D. McGuire, P. J. Mulholland, D. P. C. Peters, D. D. Roby, and G. Sugihara, Eds. U.S. Geological Survey, 157 pp. [Available online at http://digitalcommons.unl.edu/cgi/viewcontent.cgi?article=1009&context=usgspubs]
 - Nicholls, R. J., P. P. Wong, V. R. Burkett, J. O. Codignotto, J. E. Hay, R. F. McLean, S. Ragoonaden, and C. D. Woodroffe, 2007: Ch. 6: Coastal systems and low-lying areas. *Climate Change 2007: Impacts, Adaptations and Vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*, M. L. Parry, O. F. Canziani, J. P. Palutikof, P. J. Van der Linden, and C. E. Hanson, Eds., Cambridge University Press, 316-356. [Available online at http://ro.uow.edu.au/cgi/viewcontent.cgi?article=1192&context=scipapers]
- 137. Foti, R., M. del Jesus, A. Rinaldo, and I. Rodriguez-Iturbe, 2013: Signs of critical transition in the Everglades wetlands in response to climate and anthropogenic changes. *Proceedings of the National Academy of Sciences*, 110, 6296-6300, doi:10.1073/pnas.1302558110.
- 138. Folke, C., S. Carpenter, B. Walker, M. Scheffer, T. Elmqvist, L. Gunderson, and C. S. Holling, 2004: Regime shifts, resilience, and biodiversity in ecosystem management. *Annual Review of Ecology, Evolution, and Systematics*, 35, 557-581, doi:10.2307/30034127. [Available online at http://www.jstor.org/stable/10.2307/30034127]

- 139. Moore, K. A., and J. C. Jarvis, 2008: Environmental factors affecting recent summertime eelgrass diebacks in the lower Chesapeake Bay: Implications for long-term persistence. *Journal of Coastal Research*, **Special Issue 55**, 135-147, doi:10.2112/SI55-014. [Available online at http://www.chesapeake.org/OldStac/savrest/Moore%20and%20Jarvis%20JCR%202008.pdf]
- 140. Jarvis, J. C., and K. A. Moore, 2010: The role of seedlings and seed bank viability in the recovery of Chesapeake Bay, USA, *Zostera marina* populations following a large-scale decline. *Hydrobiologia*, **649**, 55-68, doi:10.1007/s10750-010-0258-z.
- 141. Barth, J. A., B. A. Menge, J. Lubchenco, F. Chan, J. M. Bane, A. R. Kirincich, M. A. McManus, K. J. Nielsen, S. D. Pierce, and L. Washburn, 2007: Delayed upwelling alters nearshore coastal ocean ecosystems in the northern California current. *Proceedings of the National Academy of Sciences*, 104, 3719-3724, doi:10.1073/pnas.0700462104. [Available online at http://www.pnas.org/content/104/10/3719.full.pdf+html]
- 142. Biggs, R., S. R. Carpenter, and W. A. Brock, 2009: Turning back from the brink: Detecting an impending regime shift in time to avert it. *Proceedings of the National Academy of Sciences*, **106**, 826-831, doi:10.1073/pnas.0811729106.
 - Hsieh, C., C. S. Reiss, R. P. Hewitt, and G. Sugihara, 2008: Spatial analysis shows that fishing enhances the climatic sensitivity of marine fishes. *Canadian Journal of Fisheries and Aquatic Sciences*, **65**, 947-961, doi:10.1139/F08-017.
 - Kelly, R. P., M. M. Foley, W. S. Fisher, R. A. Feely, B. S. Halpern, G. G. Waldbusser, and M. R. Caldwell, 2011: Mitigating local causes of ocean acidification with existing laws. *Science*, **332**, 1036-1037, doi:10.1126/science.1203815.
 - Lubchenco, J., and L. E. Petes, 2010: The interconnected biosphere: Science at the ocean's tipping pints. *Oceanography*, **23**, 115-129, doi:10.5670/oceanog.2010.55.
 - Sumaila, U. R., W. W. L. Cheung, V. W. Y. Lam, D. Pauly, and S. Herrick, 2011: Climate change impacts on the biophysics and economics of world fisheries. *Nature Climate Change*, **1**, 449-456, doi:10.1038/nclimate1301. [Available online at http://www.nature.com/doifinder/10.1038/nclimate1301]
- 143. Blakely, E. J., and A. Carbonell, Eds., 2012: Resilient Coastal City Regions: Planning for Climate Change in the United States and Australia. Lincoln Institute of Land Policy.

ICLEI, 2011: Financing the Resilient City: a Demand Driven Approach to Development, Disaster Risk Reduction and Climate Adaptation - An ICLEI White Paper, ICLEI Global Report, 47 pp., The Next Practice, Ltd., ICLEI - Local Governments for Sustainability. [Available online at http://resilient-cities.iclei.org/fileadmin/sites/resilient-cities/files/Frontend_user/Report-Financing_Resilient_City-Final.pdf]

Brugmann, J., 2012: Financing the resilient city. *Environment and Urbanization*, **24**, 215-232, doi:10.1177/0956247812437130. [Available online at http://eau.sagepub.com/content/24/1/215. full.pdf+html]

Carmin, J., N. Nadkarni, and C. Rhie, 2012: Progress and Challenges in Urban Climate Adaptation Planning: Results of a Global Survey, 30 pp., Massachussetts Institute of Technology, ICLEI - Local Governments for Sustainability, Cambridge, MA. [Available online at http://web.mit.edu/jcarmin/www/urbanadapt/Urban%20 Adaptation%20Report%20FINAL.pdf]

- Gregg, R. M., L. J. Hansen, K. M. Feifel, J. L. Hitt, J. M. Kershner, A. Score, and J. R. Hoffman, 2011: The State of Marine and Coastal Adaptation in North America: A Synthesis of Emerging Ideas. A report for the Gordon and Betty Moore Foundation: Bainbridge Island, WA, EcoAdapt., 145 pp. [Available online at http://ecoadapt.org/documents/marine-adaptation-report.pdf]
- 144. Finzi Hart, J. A., P. M. Grifman, S. C. Moser, A. Abeles, M. R. Myers, S. C. Schlosser, and J. A. Ekstrom, 2012: Rising to the Challenge: Results of the 2011 Coastal California Adaptation Needs Assessment. USCSG-TR-01-2012, 76 pp., University of Southern California Sea Grant. [Available online at http://ca-sgep.ucsd.edu/sites/ca-sgep.ucsd.edu/files/advisors/mrmyers/files/CCSurveyReportOnline.pdf]
- 145. Moser, S. C., and J. A. Ekstrom, 2012: Identifying and Overcoming Barriers to Climate Change Adaptation in San Francisco Bay: Results from Case Studies. Publication number: CEC-500-2012-034, 186 pp., California Energy Commission, Sacramento, CA. [Available online at http://www.energy.ca.gov/2012publications/ CEC-500-2012-034/CEC-500-2012-034.pdf]
- 146. Carrier, S. D., G. L. Bruland, L. J. Cox, and C. A. Lepczyk, 2012: The perceptions of coastal resource managers in Hawai'i: The current situation and outlook for the future. *Ocean & Coastal Management*, **69**, 291-298, doi:10.1016/j.ocecoaman.2012.07.028.
 - Moser, S. C., 2009: Good Morning America! The Explosive Awakening of the US to Adaptation, 39 pp., California Energy Commission, NOAA-Coastal Services Center, Sacramento, CA and Charleston, SC. [Available online at http://www.preventionweb.net/files/11374_MoserGoodMorningAmericaAdaptationin.pdf]

- 147. Poulter, B., R. L. Feldman, M. M. Brinson, B. P. Horton, M. K. Orbach, S. H. Pearsall, E. Reyes, S. R. Riggs, and J. C. Whitehead, 2009: Sea-level rise research and dialogue in North Carolina: Creating windows for policy change. *Ocean & Coastal Management*, 52, 147-153, doi:10.1016/j.ocecoaman.2008.09.010. [Available online at http://www.sciencedirect.com/science/article/pii/S096456910800118X]
- 148. Grannis, J., 2011: Adaptation Tool Kit: Sea-Level Rise and Coastal Land Use. How Governments Can Use Land-Use Practices to Adapt to Sea-Level Rise, 100 pp., Georgetown Climate Center, Washington, D.C. [Available online at http://www. georgetownclimate.org/sites/default/files/Adaptation_Tool_Kit_ SLR.pdf]
 - Morris, R. K. A., 2012: Managed realignment: A sediment management perspective. *Ocean & Coastal Management*, **65**, 59-66, doi:10.1016/j.ocecoaman.2012.04.019.
 - Titus, J. G., 2011: Rolling Easements. EPA 430R11001, 179 pp., U.S. Environmental Protection Agency. [Available online at http://water.epa.gov/type/oceb/cre/upload/rollingeasementsprimer.pdf]
- 149. Dolan, G., and D. J. Wallace, 2012: Policy and management hazards along the Upper Texas coast. *Ocean & Coastal Management*, **59**, 77-82, doi:10.1016/j.ocecoaman.2011.12.021.
 - Salvesen, D., 2005: The Coastal Barrier Resources Act: Has it discouraged coastal development? *Coastal Management*, **33**, 181-195, doi:10.1080/08920750590917585.
- 150. Kates, R. W., W. R. Travis, and T. J. Wilbanks, 2012: Transformational adaptation when incremental adaptations to climate change are insufficient. *Proceedings of the National Academy of Sciences*, 109, 7156-7161, doi:10.1073/pnas.1115521109. [Available online at www.pnas.org/content/109/19/7156.full.pdf+html]
- 151. Marino, E., 2012: The long history of environmental migration: Assessing vulnerability construction and obstacles to successful relocation in Shishmaref, Alaska. *Global Environmental Change*, 22, 374-381, doi:10.1016/j.gloenvcha.2011.09.016.
- 152. Dow, K., F. Berkhout, B. L. Preston, R. J. T. Klein, G. Midgley, and M. R. Shaw, 2013: Limits to adaptation. *Nature Climate Change*, 3, 305-307, doi:10.1038/nclimate1847.
- 153. Goidel, K., C. Kenny, M. Climek, M. Means, L. Swann, T. Sempier, and M. Schneider, 2012: 2012 Gulf Coast Climate Change Survey Executive Summary. MASGP-12-017, 36 pp., National Oceanic and Atmospheric Administration, Texas Sea Grant, Louisiana Sea Grant, Florida Sea Grant, Mississippi-Alabama Sea Grant Consortium. [Available online at http://www.southernclimate.org/documents/resources/Climate_change_perception_survey_summary_NOAA_Sea_Grant_2012.pdf]

- 154. Responsive Management, 2010: Responsive Management: Delaware Residents' Opinions on Climate Change and Sea Level Rise, 351 pp., Responsive Management, Harrisonburg, VA. [Available online at http://www.dnrec.delaware.gov/coastal/ Documents/SeaLevelRise/SLRSurveyReport.pdf]
- 155. Krosnik, J., 2013: Stanford University Climate Adaptation National Poll, 20 pp., Stanford Woods Institute for the Environment. [Available online at http://woods.stanford.edu/research/public-opinion-research/2013-Stanford-Poll-Climate-Adaptation]
- 156. Abbott, T., 2013: Shifting shorelines and political winds The complexities of implementing the simple idea of shoreline setbacks for oceanfront developments in Maui, Hawaii. *Ocean & Coastal Management*, 73, 13-21, doi:10.1016/j.ocecoaman.2012.12.010. [Available online at http://www.sciencedirect.com/science/article/pii/S0964569112003353]
 - Kick, E. L., J. C. Fraser, G. M. Fulkerson, L. A. McKinney, and D. H. De Vries, 2011: Repetitive flood victims and acceptance of FEMA mitigation offers: An analysis with community–system policy implications. *Disasters*, **35**, 510-539, doi:10.1111/j.1467-7717.2011.01226.x.
- 157. Agyeman, J., P. Devine-Wright, and J. Prange, 2009: Close to the edge, down by the river? Joining up managed retreat and place attachment in a climate changed world. *Environment and Planning A*, 41, 509-513, doi:10.1068/a41301. [Available online at http://www.envplan.com/epa/editorials/a41301.pdf]
- 158. Peach, S., 2012: Sea Level Rise, One More Frontier For Climate Dialogue Controversy. Yale Forum on Climate Change and the Media. Yale University. [Available online at http://www. yaleclimatemediaforum.org/2012/02/sea-level-rise-one-more-frontier-for-climate-dialogue-controversy/]
- Schrope, M., 2010: Unarrested development. Nature Reports Climate Change, 4, 36-38, doi:10.1038/climate.2010.27. [Available online at http://www.nature.com/climate/2010/1004/pdf/climate.2010.27. pdf]
 - Kyler, D., 2010: Coastal Georgia Development Rates, Patterns, and Impacts, Presentation, 25 pp., Center for a Sustainable Coast. [Available online at http://www.sustainablecoast.org/coastalgrowth2010.pdf]
- 160. Multihazard Mitigation Council, 2005: Natural Hazard Mitigation Saves: An Independent Study to Assess the Future Savings From Mitigation Activities. Volume 2 Study Documentation, 150 pp., National Institute of Building Sciences, Washington, D.C. [Available online at http://www.nibs.org/resource/resmgr/MMC/hms_vol2_ch1-7.pdf?hhSearchTerms=Natural+and+hazard+and+mitigation]

- 161. USACE, 2012: Mississippi Coastal Improvement Plan: Voluntary Buy-out Program. U.S. Army Corps of Engineers, Mobile, AL. [Available online at http://www.sam.usace.army.mil/Missions/ ProgramandProjectManagement/MsCIPProgram.aspx]
- 162. Rosenzweig, C., W. D. Solecki, R. Blake, M. Bowman, C. Faris, V. Gornitz, R. Horton, K. Jacob, A. LeBlanc, R. Leichenko, M. Linkin, D. Major, M. O'Grady, L. Patrick, E. Sussman, G. Yohe, and R. Zimmerman, 2011: Developing coastal adaptation to climate change in the New York City infrastructure-shed: Process, approach, tools, and strategies. *Climatic Change*, 106, 93-127, doi:10.1007/s10584-010-0002-8. [Available online at http://www.ccrun.org/sites/ccrun/files/attached_files/2011_Rosenzweig_etal.pdf]
- 163. Hudson, B., 2012: Coastal land loss and the mitigation adaptation dilemma: Between Scylla and Charybdis. *Louisiana Law Review*, 73. [Available online at http://digitalcommons.law.lsu.edu/lalrev/vol73/iss1/3]
- 164. IPCC, 2012: Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation. A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change. C. B. Field, V. Barros, T.F. Stocker, D. Qin, D. J. Dokken, K. L. Ebi, M. D. Mastrandrea, K. J. Mach, G.-K. Plattner, S.K. Allen, M. Tignor, and P. M. Midgley, Eds. Cambridge University Press, 582 pp. [Available online at http://ipcc-wg2.gov/SREX/images/uploads/ SREX-All_FINAL.pdf]
- 165. FEMA, 2013: Personal communication
 - King, R. O., 2005: Federal Flood Insurance: The Repetitive Loss Problem. CRS Report for Congress. Order Code RL32972, 45 pp., Library of Congress Congressional Research Service, Washington, D.C. [Available online at http://digital.library.unt.edu/ark:/67531/metacrs7693/m1/1/high_res_d/RL32972_2005Jun30.pdf]
- 166. GAO, 2004: National Flood Insurance Program: Actions to Address Repetitive Loss Properties. GAO-04-401T. 22 pp., U.S. Government Accountability Office, Washington, D.C. [Available online at http://www.gao.gov/assets/120/110626.pdf]
- 167. Cropper, M. L., and P. R. Portney, 1990: Discounting and the evaluation of life-saving programs. *Journal of Risk and Uncertainty*, 3, 369-379, doi:10.1007/BF00353347.
- Franck, T., 2009: Coastal adaptation and economic tipping points. *Management of Environmental Quality: An International Journal*, 20, 434-450, doi:10.1108/14777830910963762.
 - H. John Heinz III Center for Science Energy and the Environment, 2000: The Hidden Costs of Coastal Hazards: Implications for Risk Assessment and Mitigation. A multisector collaborative project of the H. John Heinz Center for Science, Economics, and the Environment. Island Press, 252 pp.

- 169. Hallegatte, S., 2012: A framework to investigate the economic growth impact of sea level rise. *Environmental Research Letters*, **7**, 015604, doi:10.1088/1748-9326/7/1/015604.
- 170. Abel, J. R., J. Bram, R. Deitz, and J. Orr: What Are the Costs of Superstorm Sandy? Federal Reserve Bank of New York. [Available online at http://libertystreeteconomics.newyorkfed.org/2012/12/ what-are-the-costs-of-superstorm-sandy.html]
 - AON Benfield, 2012: Annual Global Climate and Catastrophe Report. Impact Forecasting 2012., 95 pp., AON Benfield: Impact Forecasting. [Available online at http://thoughtleadership.aonbenfield.com/Documents/20130124_if_annual_global_climate_catastrophe_report.pdf]
- 171. Greening, H., P. Doering, and C. Corbett, 2006: Hurricane impacts on coastal ecosystems. *Estuaries and Coasts*, **29**, 877-879, doi:10.1007/BF02798646.
 - Miao, S. L., C. B. Zou, and D. D. Breshears, 2009: Vegetation responses to extreme hydrological events: Sequence matters. *The American Naturalist*, **173**, 113-118, doi:10.1086/593307.
 - Paerl, H. W., J. D. Bales, L. W. Ausley, C. P. Buzzelli, L. B. Crowder, L. A. Eby, J. M. Fear, M. Go, B. L. Peierls, T. L. Richardson, and J. S. Rasmus, 2001: Ecosystem impacts of three sequential hurricanes (Dennis, Floyd, and Irene) on the United States' largest lagoonal estuary, Pamlico Sound, NC. *Proceedings of the National Academy of Sciences*, **98**, 5655-5660, doi:10.1073/pnas.101097398. [Available online at http://www.pnas.org/content/98/10/5655. full.pdf+html]
 - Peterson, T. C., D. M. Anderson, S. J. Cohen, M. Cortez-Vázquez, R. J. Murnane, C. Parmesan, D. Phillips, R. S. Pulwarty, and J. M. R. Stone, 2008: Ch. 1: Why weather and climate extremes matter. Weather and Climate Extremes in a Changing Climate. Regions of Focus: North America, Hawaii, Caribbean, and U.S. Pacific Islands. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research, T. R. Karl, G. A. Meehl, C. D. Miller, S. J. Hassol, A. M. Waple, and W. L. Murray, Eds., Department of Commerce, NOAA's National Climatic Data Center, 11-34. [Available online at http://library.globalchange.gov/downloads/download.php?id=22]
- 172. Barthel, F., and E. Neumayer, 2010: A trend analysis of normalized insured damage from natural disasters. *Climatic Change*, **113**, 215-237, doi:10.1007/s10584-011-0331-2.
- 173. GAO, 2010: National Flood Insurance Program: Continued Actions Needed to Address Financial and Operational Issues. U.S. Government Accountability Office, Washington, D.C. [Available online at http://www.gao.gov/assets/130/124468.pdf]

- 174. Ntelekos, A. A., M. Oppenheimer, J. A. Smith, and A. J. Miller, 2010: Urbanization, climate change and flood policy in the United States. *Climatic Change*, 103, 597-616, doi:10.1007/s10584-009-9789-6.
- 175. FEMA, cited 2013: Total Coverage by Calendar Year. U.S. Federal Emergency Management Agency. [Available online at http://www.fema.gov/policy-claim-statistics-flood-insurance/policy-claim-statistics-flood-insurance/policy-claim-13-12]
- 176. GAO, 2013: High-Risk Series: An Update. GAO-13-283. U.S. Government Accountability Office, Washington D.C. [Available online at http://www.gao.gov/assets/660/652133.pdf]
- 177. Mills, E., R. J. Roth, Jr., and E. Lecomte, 2005: Availability and Affordability of Insurance Under Climate Change: A Growing Challenge for the U.S., 43 pp., Ceres, Boston, MA. [Available online at http://energy.lbl.gov/ea/mills/EMills/PUBS/PDF/ceres-insur_report.pdf]
 - Thomas, A., and R. Leichenko, 2011: Adaptation through insurance: Lessons from the NFIP. *International Journal of Climate Change Strategies and Management*, **3**, 250-263, doi:10.1108/17568691111153401.
- 178. H. John Heinz III Center for Science Energy and the Environment, 2000: Evaluation of Erosion Hazards, 205 pp., Washington, D.C., USA. [Available online at http://www.fema.gov/pdf/library/erosion.pdf]
 - Czajkowski, J., H. Kunreuther, and E. Michel-Kerjan, 2011: A Methodological Approach for Pricing Flood Insurance and Evaluating Loss Reduction Measures: Application to Texas, Wharton Risk Management Center and CoreLogic, Philadelphia, PA and Santa Ana, CA, 87 pp. [Available online at http://opim.wharton.upenn.edu/risk/library/WhartonRiskCenter_TexasFloodInsurancePricingStudy.pdf]
 - Kunreuther, H. C., and E. O. Michel-Kerjan, 2009: At War with the Weather: Managing Large-Scale Risks in a New Era of Catastrophes. The MIT Press, 416 pp.
 - Michel-Kerjan, E., and H. Kunreuther, 2011: Redesigning flood insurance. *Science*, **333**, 408-409, doi:10.1126/science.1202616. [Available online at http://erwannmichelkerjan.com/wp-content/uploads/2011/07/RedesigningFloodIns_ScienceMag_20110722-1. pdf]
 - Michel-Kerjan, E. O., 2010: Catastrophe economics: The National Flood Insurance Program. *The Journal of Economic Perspectives*, **24**, 165-186, doi:10.1257/jep.24.4.165. [Available online at http://www.jstor.org/stable/pdfplus/20799178.pdf]

- King, R. O., 2011: National Flood Insurance Program: Background, Challenges, and Financial Status. R40650, 33 pp., Congressional Research Service, Washington, D.C. [Available online at http://www.fas.org/sgp/crs/misc/R40650.pdf]
- 179. Colls, A., N. Ash, and N. Ikkala, 2009: Ecosystem-based Adaptation: A Natural Response to Climate Change. International Union for Conservation of Nature and Natural Resources, 16 pp. [Available online at http://data.iucn.org/dbtw-wpd/edocs/2009-049.pdf]
 - Danielsen, F., M. K. Sørensen, M. F. Olwig, V. Selvam, F. Parish, N. D. Burgess, T. Hiraishi, V. M. Karunagaran, M. S. Rasmussen, L. B. Hansen, A. Quarto, and N. Suryadiputra, 2005: The Asian tsunami: A protective role for coastal vegetation. *Science*, **310**, 643, doi:10.1126/science.1118387.
 - Swann, L. D., 2008: The Use of Living Shorelines to Mitigate the Effects of Storm Events on Dauphin Island, Alabama, USA. American Fisheries Society Symposium 12 pp., Department of Fisheries and Allied Aquaculture, Auburn University, Ocean Springs, MS. [Available online at http://livingshorelinesolutions.com/uploads/Dr._LaDon_Swann__Living_Shorelines_Paper.pdf]
 - The World Bank, 2009: Convenient Solutions for an Inconvenient Truth: Ecosystem-based Approaches to Climate Change. The World Bank, The International Bank for Reconstruction and Development, 91 pp. [Available online at http://elibrary.worldbank.org/doi/book/10.1596/978-0-8213-8126-7]
 - Tobey, J., P. Rubinoff, D. Robadue Jr, G. Ricci, R. Volk, J. Furlow, and G. Anderson, 2010: Practicing coastal adaptation to climate change: Lessons from integrated coastal management. *Coastal Management*, **38**, 317-335, doi:10.1080/08920753.2010.483169.
 - UNEP-WCMC, 2006: In the Front Line: Shoreline Protection and Other Ecosystem Services From Mangroves and Coral Reefs. UNEP-WCMC, 33 pp. [Available online at http://www.unep.org/pdf/infrontline_06.pdf]
 - Villanoy, C., L. David, O. Cabrera, M. Atrigenio, F. Siringan, P. Aliño, and M. Villaluz, 2012: Coral reef ecosystems protect shore from high-energy waves under climate change scenarios. *Climatic Change*, **112**, 1-13, doi:10.1007/s10584-012-0399-3.
- 180. Daily, G. C., S. Polasky, J. Goldstein, P. M. Kareiva, H. A. Mooney, L. Pejchar, T. H. Ricketts, J. Salzman, and R. Shallenberger, 2009: Ecosystem services in decision making: Time to deliver. Frontiers in Ecology and the Environment, 7, 21-28, doi:10.1890/080025.

- Koch, E. W., E. B. Barbier, B. R. Silliman, D. J. Reed, G. M. E. Perillo, S. D. Hacker, E. F. Granek, J. H. Primavera, N. Muthiga, S. Polasky, B. S. Halpern, C. J. Kennedy, C. V. Kappel, and E. Wolanski, 2009: Non-linearity in ecosystem services: Temporal and spatial variability in coastal protection. *Frontiers in Ecology and the Environment*, 7, 29-37, doi:10.1890/080126. [Available online at http://www.esajournals.org/doi/pdf/10.1890/080126]
- 181. Amundsen, H., F. Berglund, and H. Westskog, 2010: Overcoming barriers to climate change adaptation - a question of multilevel governance? *Environment and Planning C: Government and Policy*, 28, 276-289, doi:10.1068/c0941.
 - Burch, S., 2010: Transforming barriers into enablers of action on climate change: Insights from three municipal case studies in British Columbia, Canada. *Global Environmental Change*, **20**, 287-297, doi:10.106/j.gloenvcha.2009.11.009.
 - Measham, T. G., B. L. Preston, T. F. Smith, C. Brooke, R. Gorddard, G. Withycombe, and C. Morrison, 2011: Adapting to climate change through local municipal planning: Barriers and challenges. *Mitigation and Adaptation Strategies for Global Change*, **16**, 889-909, doi:10.1007/s11027-011-9301-2. [Available online at http://link.springer.com/content/pdf/10.1007%2Fs11027-011-9301-2]
- 182. McNeeley, S. M., 2012: Examining barriers and opportunities for sustainable adaptation to climate change in Interior Alaska. *Climate Change*, **111**, 835-857, doi:10.1007/s10584-011-0158-x. [Available online at http://link.springer.com/content/pdf/10.1007%2Fs10584-011-0158-x]
 - Moser, S. C., and J. A. Ekstrom, 2010: Developing Adaptation Strategies for San Luis Obispo County: Preliminary Climate Change Vulnerability Assessment for Social Systems. Technical Report, 73 pp., Susanne Moser Research & Consulting, Lawrence Berkeley National Laboratory, Santa Cruz, CA. [Available online at http://www.lgc.org/adaptation/slo/docs/SLO_TechnicalReport_5-7-10_final.pdf]
 - Hanemann, M., D. Lambe, and D. Farber, 2012: Climate Vulnerability and Adaptation Study for California: Legal Analysis of Barriers to Adaptation for California's Water Sector. Research paper CEC 500-2012-019. California Energy Commission PIER Program, Sacramento, CEC. [Available online at http://www.energy.ca.gov/2012publications/CEC-500-2012-019/CEC-500-2012-019.pdf]
 - Rudd, M. A., and R. N. Lawton, 2013: Scientists' prioritization of global coastal research questions. *Marine Policy*, **39**, 101-111, doi:10.1016/j.marpol.2012.09.004.
- 183. Georgetown Climate Center, cited 2012: Helping Communities Adapt to Climate Change. [Available online at http://www.georgetownclimate.org/adaptation/overview]

- 184. NPCC, 2010: Climate Change Adaptation in New York City: Building a Risk Management Response: New York City Panel on Climate Change 2009 Report. Vol. 1196, C. Rosenzweig, and W. Solecki, Eds. Wiley-Blackwell, 328 pp. [Available online at http://onlinelibrary.wiley. com/doi/10.1111/nyas.2010.1196.issue-1/issuetoc]
 - ——, 2009: Climate Risk Information, 74 pp., New York City Panel on Climate Change, New York, New York. [Available online at http://www.nyc.gov/html/om/pdf/2009/NPCC_CRI.pdf]
- 185. EPA, 2009: Land-Use Scenarios: National-Scale Housing-Density Scenarios Consistent with Climate Change Storylines (Final Report). EPA/600/R-08/076F, 137 pp., Global Change Research Program, National Center for Environmental Assessment, U.S. Environmental Protection Agency, Washington D.C. [Available online at http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=203458]
- 186. Becker, A., S. Inoue, M. Fischer, and B. Schwegler, 2012: Climate change impacts on international seaports: Knowledge, perceptions, and planning efforts among port administrators. *Climatic Change*, 110, 5-29, doi:10.1007/s10584-011-0043-7.
- 187. Karl, T. R., J. T. Melillo, and T. C. Peterson, Eds., 2009: Global Climate Change Impacts in the United States. Cambridge University Press, 189 pp. [Available online at http://downloads.globalchange. gov/usimpacts/pdfs/climate-impacts-report.pdf]
- 188. Bovbjerg, R. R., and J. Hadley, 2007: Why Health Insurance is Important. Report No. DC-SPG no. 1, 3 pp., The Urban Institute. [Available online at http://www.urban.org/UploadedPDF/411569_ importance_of_insurance.pdf]
- 189. Standen, A., 2012: Threatened by rising seas, Alaskans ponder where to move. *Climate Watch*, November 29, 2011. KQED: Public Media for Northern California. [Available online at http://blogs.kqed.org/climatewatch/2011/11/29/threatened-by-encroaching-seas-alaskans-ponder-where-to-move-their-village/]

PHOTO CREDITS

Introduction to chapter; Florida coast line in top banner: ©Joe Raedle via Getty Images News

SUPPLEMENTAL MATERIAL TRACEABLE ACCOUNTS

Process for Developing Key Messages

A central component of the assessment process was a Chapter Lead Authors meeting held in St. Louis, Missouri in April 2012. The key messages were initially developed at this meeting. Key vulnerabilities were operationally defined as those challenges that can fundamentally undermine the functioning of human and natural coastal systems. They arise when these systems are highly exposed and sensitive to climate change and (given present or potential future adaptive capacities) insufficiently prepared or able to respond. The vulnerabilities that the team decided to focus on were informed by ongoing interactions of the author team with coastal managers, planners, and stakeholders, as well as a review of the existing literature. In addition, the author team conducted a thorough review of the technical input reports (TIR) and associated literature, including the coastal zone foundational TIR prepared for the National Climate Assessment (NCA). Chapter development was supported by numerous chapter author technical discussions via teleconference from April to June 2012.

KEY MESSAGE #1 TRACEABLE ACCOUNT

Coastal lifelines, such as water supply and energy infrastructure and evacuation routes, are increasingly vulnerable to higher sea levels and storm surges, inland flooding, erosion, and other climate-related changes.

Description of evidence base

Coastal infrastructure is defined here to include buildings, roads, railroads, airports, port facilities, subways, tunnels, bridges, water supply systems, wells, sewer lines, pump stations, wastewater treatment plants, water storage and drainage systems, port facilities, energy production and transmission facilities on land and offshore, flood protection systems such as levees and seawalls, and telecommunication equipment. Lifelines are understood in the common usage of that term in hazards management.

The key message and supporting text summarize extensive evidence documented in the coastal zone technical input report as well as a technical input report on infrastructure. ⁴⁸ Technical input reports (68) on a wide range of topics were also received and reviewed as part of the Federal Register Notice solicitation for public input, along with the extant scientific literature. Additional

evidence is provided in other chapters on hurricanes (Ch. 2: Our Changing Climate, Key Message 8), global sea level rise (Ch. 2: Our Changing Climate, Key Message 10), water supply vulnerabilities (Ch. 3: Water); key coastal transportation vulnerabilities (Ch. 5: Transportation), and energy-related infrastructure (Ch. 4: Energy). This key message focuses mainly on water supply and energy infrastructure and evacuation routes, as these constitute critical lifelines.

The evidence base for exposure, sensitivity, and adaptive capacity to higher sea levels and storm surges is very strong, both from empirical observation and historical experience and from studies projecting future impacts on critical coastal infrastructure. There are numerous publications concerning the effects of sea level rise and storm surges on roadways, coastal bridges, and supply of refined products. The information on roadways came from various reports (for example, DOT 2012; Transportation Research Board 2011; NPCC 2009, 2010 55,56,184) and other publications (for example, State of Louisiana 2012 3). The impact on coastal bridges is documented in U.S. Department of Transportation reports. 55,59 A number of publications explored the impacts on supply of refined oil-based products such as gasoline.

The evidence base is moderate for the interaction of inland and coastal flooding. There are many and recent publications concerning impacts to wastewater treatment plants^{47,61} and drainage systems.^{18,27,64,65,70} These impacts lead to increased risk of urban flooding and disruption of essential services to urban residents.

New information and remaining uncertainties

The projected rate of sea level rise (SLR) is fully accounted for through the use of common scenarios. We note, however, that there is currently limited impacts literature yet that uses the lowest or highest 2100 scenario and none that specifically use the broader range of SLR (0.2 to 2 meters, or 0.7 to 6.6 feet, by 2100) ¹⁶ and NCA land-use scenarios (60% to 164% increase in urban and suburban land area). ¹⁸⁵

The severity and frequency of storm damage in any given location cannot yet be fully accounted for due to uncertainties in projecting future extratropical and tropical storm frequency, intensity, and

changes in storm tracks for different regions (Ch. 2: Our Changing Climate).⁷

The timely implementation and efficacy of adaptation measures, including planned retreat, in mitigating damages is accounted for in the underlying literature (for example, by varying assumptions about the timing of implementation of adaptation measures and the type of adaptation measures) such as hard protection, elevation, relocation, or protection through wetlands and dunes in front of the infrastructure in question) (for example, Aerts and Botzen 2012; Biging et al. 2012; Bloetscher et al. 2011; Heberger et al. 2009; Irish et al. 2010; Kirshen et al. 2011^{18,38,44,45,47}). However, such studies can only test the sensitivity of conclusions to these assumptions; they do not allow statements about what is occurring on the ground.

Additional uncertainties arise from the confluence of climate change impacts from the inland and ocean side, which have yet to be studied in an integrated fashion across different coastal regions of the United States.

Assessment of confidence based on evidence

Given the evidence base, the large quantity of infrastructure (water-related infrastructure, energy infrastructure, and the 60,000 miles of coastal roads) in the U.S. coastal zone, and the directional trend at least of sea level rise and runoff associated with heavy precipitation events, we have **very high** confidence that these types of infrastructure in the coastal zone are increasingly vulnerable.

Confidence Level

Very High

Strong evidence (established theory, multiple sources, consistent results, well documented and accepted methods, etc.), high consensus

High

Moderate evidence (several sources, some consistency, methods vary and/or documentation limited, etc.), medium consensus

Medium

Suggestive evidence (a few sources, limited consistency, models incomplete, methods emerging, etc.), competing schools of thought

Low

Inconclusive evidence (limited sources, extrapolations, inconsistent findings, poor documentation and/or methods not tested, etc.), disagreement or lack of opinions among experts

KEY MESSAGE #2 TRACEABLE ACCOUNT

Nationally important assets, such as ports, tourism and fishing sites, in already-vulnerable coastal locations, are increasingly exposed to sea level rise and related hazards. This threatens to disrupt economic activity within coastal areas and the regions they serve and results in significant costs from protecting or moving these assets.

Description of evidence base

The key message and supporting text summarize extensive evidence documented in the coastal zone technical input report. Technical input reports (68) on a wide range of topics were also received and reviewed as part of the Federal Register Notice solicitation for public input, as well as the extant scientific literature.

The evidence base for increased exposure to assets is strong. Many publications have assessed at-risk areas (for example, Biging et al. 2012; Cooley et al. 2012; Heberger et al. 2009; Neumann et al. 2010a^{38,45,79,81}). Highly reliable economic activity information is available from recurring surveys conducted by the National Oceanographic and Atmospheric Administration (NOAA) and others, and asset exposure is conclusively demonstrated by historical information (from storm and erosion damage), elevation data (in Geographic Information System (GIS)-based, LIDAR, and other forms), and numerous vulnerability and adaptation studies of the built environment. Further evidence is provided in technical input reports and other NCA chapters on infrastructure and urban systems (Ch. 11: Urban), 48 transportation (Ch. 5: Transportation), 55 and energy (Ch. 4: Energy). A number of studies in addition to the ones cited in the text, using various economic assumptions, aim to assess the cost of protecting or relocating coastal assets and services. Many publications and reports explore the cost of replacing services offered by ports, 55,91 though one study notes that few ports are implementing adaptation practices to date. The economic consequences of climate change on tourism are supported by a number of recent studies. 89,90,91,93 The threats of climate change on fishing have been explored in the coastal zone technical input report.'

Additional evidence comes from empirical observation: public statements by private sector representatives and public officials indicate high awareness of economic asset exposure and a determination to see those assets protected against an encroaching sea, even at high cost (New York City, Miami Dade County, San Francisco airport, etc.). The economic value of exposed assets and activities is frequently invoked when they get damaged or interrupted during storm events (for example, Hallegattee 2012¹⁶⁹). Threats to economic activity are also consistently cited as important to local decision-making in the coastal context (for example, Titus et al. 2009¹⁰⁹).

New information and remaining uncertainties

The projected rate of sea level rise is fully accounted for through the use of common scenarios. We note, however, that there is currently limited impacts literature that uses the lowest or highest scenario for 2100, and no studies that specifically use the broader range of SLR (0.7 to 6.6 feet,) and NCA land-use scenarios (60% to 164% increase in urban and suburban land area). 185

The projected severity and frequency of storm damage in any given location cannot yet be fully accounted for due to uncertainties in projecting future extratropical and tropical storm frequency, intensity, and changes in storm tracks for different regions.⁷

The timely implementation and efficacy of adaptation measures, including planned retreat, in mitigating damages are accounted for in the underlying literature (for example, by varying assumptions about the timing of implementation of adaptation measures, the type of adaptation measures, and other economic assumptions such as discount rates). However, such studies can only test the sensitivity of conclusions to these assumptions; they do not allow statements about what is occurring on the ground. Well-established post-hoc assessments¹⁶⁰ suggest that hazard mitigation action is highly cost-effective (for every dollar spent, four dollars in damages are avoided). A more recent study suggests an even greater cost-effectiveness.⁷⁹

Assessment of confidence based on evidence

Given the evidence base, the well-established accumulation of economic assets and activities in coastal areas, and the directional trend of sea level rise, we have **very high** confidence in the main conclusion that resources and assets that are nationally important to economic productivity are threatened by SLR and climate change.

While there is currently no indication that the highest-value assets and economic activities are being abandoned in the face of sea level rise and storm impacts, we have **very high** confidence that the cost of protecting these assets in place will be high, and that the cost will be higher the faster sea level rises relative to land.

We have **very high** confidence that adequate planning and arrangement for future financing mechanisms, timely implementation of hazard mitigation measures, and effective disaster response will keep the economic impacts and adaptation costs lower than if these actions are not taken.

We are not able to assess timing or total cost of protecting or relocating economic assets with any confidence at this time, due to uncertainties in asset-specific elevation above sea level, in the presence and efficacy of protective measures (at present and in the future), in the feasibility of relocation in any particular case, and uncertainties in future storm surge heights and storm frequencies.

KEY MESSAGE #3 TRACEABLE ACCOUNT

Socioeconomic disparities create uneven exposures and sensitivities to growing coastal risks and limit adaptation options for some coastal communities, resulting in the displacement of the most vulnerable people from coastal areas.

Description of evidence base

The key message and supporting text summarize extensive evidence documented in the coastal zone technical input report. Technical input reports (68) on a wide range of topics were also received and reviewed as part of the Federal Register Notice solicitation for public input, along with the extant literature.

Evidence base is moderate: assessment of the social vulnerability to coastal impacts of climate change is a comparatively new research focus in the United States, and clearly an advance since the prior NCA. There are currently multiple published, peer-reviewed studies, by different author teams, using different vulnerability metrics, which all reach the same conclusion: economically and socially vulnerable individuals and communities face significant coastal risks and have a lower adaptive capacity than less socially vulnerable populations. Studies have shown that the U.S. coastal population is growing and have assessed the importance of this population for climate change exposure. The social factors that play key roles in coastal vulnerability are detailed in numerous publications.

There is an additional body of evidence emerging in the literature that also supports this key message, namely the growing literature on "barriers to adaptation," particularly from studies conducted here in the United States. 7,81,105,145,189 This literature reports on the limitations poorer communities face at present in beginning adaptation planning, and on the challenges virtually all communities face in prioritizing adaptation and moving from planning to implementation of adaptation options.

There is empirical evidence for how difficult it is for small, less wealthy communities (for example, the Native communities in Alaska or southern Louisiana) to obtain federal funds to relocate from eroding shorelines. Eligibility criteria (positive benefit-cost ratios) make it particularly difficult for low-income communities to obtain such funds; current federal budget constraints limit the available resources to support managed retreat and relocation. The recent economic hardship has placed constraints even on the richer coastal communities in the U.S. in developing and implementing adaptation strategies, for example in California. While the economic situation, funding priorities, or institutional mechanisms to provide support to socially vulnerable communities will not remain static over time, there is no reliable scientific evidence for how these factors may change in the future.

New information and remaining uncertainties

The body of research on this topic is largely new since the prior NCA in 2009. 187 Each of the peer-reviewed studies discusses data gaps and methodological limitations, as well as the particular challenge of projecting demographic variables - a notoriously difficult undertaking – forward in time. While methods for population projections are well established (typically using housing projections), those, in turn, depend on more difficult to make assumptions about fertility, migration, household size, and travel times to urban areas. The conclusion is limited by uneven coverage of in-depth vulnerability studies; although those that do exist are consistent with and confirm the conclusions of a national study. 41 This latter study was extended by applying the same approach, data sources, and methodology to regions previously not covered, thus closing important informational gaps (Hawai'i, Alaska, the Great Lakes region). Data gaps remain for most coastal locations in the Pacific Islands, Puerto Rico, and other U.S. territories.

The most important limit on understanding is the current inability to project social vulnerability forward in time. While some social variables are more easily predicted (for example, age and gender distribution) than others (for example, income distribution, ethnic composition, and linguistic abilities), the predictive capability declines the further out projections aim (beyond 2030 or 2050). Further, it is particularly difficult to project these variables in specific places subject to coastal hazards, as populations are mobile over time, and no existing model reliably predicts placebased demographics at the scale important to these analyses.

Assessment of confidence based on evidence

We have **high** confidence in this conclusion, as it is based on well-accepted techniques, replicated in several place-based case studies, and on a nationwide analysis, using reliable Census data. Consistency in insights and conclusions in these studies, and in others across regions, sectors, and nations, add to the confidence. The conclusion does involve significant projection uncertainties, however, concerning where socially vulnerable populations will be located several decades from now. Sensitivity analysis of this factor, and overall a wider research base is needed, before a higher confidence assessment can be assigned.

KEY MESSAGE #4 TRACEABLE ACCOUNT

Coastal ecosystems are particularly vulnerable to climate change because many have already been dramatically altered by human stresses; climate change will result in further reduction or loss of the services that these ecosystems provide, including potentially irreversible impacts.

Description of evidence base

The key message and supporting text summarize extensive evidence documented in the coastal zone technical input report. Technical input reports (68) on a wide range of topics were also received and reviewed as part of the Federal Register Notice solicitation for public input, along with the extant literature.

Evidence base is strong for this part of the key message: "Coastal ecosystems are particularly vulnerable to climate change because many have already been dramatically altered by human stresses."

The degradation and depletion of coastal systems due to human stresses (for example, pollution, habitat destruction, and overharvesting) has been widely documented throughout the U.S. and the world. The degree of degradation varies based on location and level of human impact. However, evidence of degradation is available for all types of U.S. coastal ecosystems, from coral reefs to seagrasses and rocky shores. Human stresses can be direct (for example, habitat destruction due to dredging of bays) or indirect (for example, food web disruption due to overfishing). There is also consistent evidence that ecosystems degraded by human activities are less resilient to changes in climatic factors, such as water temperature, precipitation, and sea level rise (for example, Gedan et al. 2009; Glick et al. 2011; Williams and Grosholz 2008^{128,129,130}).

Evidence base is strong: "climate change will result in further reduction or loss of the services that these ecosystems provide."

The impacts of changing coastal conditions (for example, changes associated with altered river inflows, higher temperatures, and the effects of high rates of relative sea level rise) on coastal ecosystems and their associated services have been extensively documented through observational and empirical studies, including recent publications. Many models of coastal ecosystem responses to climatic factors have been well-validated with field data. Given the existing knowledge of ecosystem responses, future climate projections, and the interactions with non-climatic stressors that further exacerbate climatic impacts, evidence is strong of the potential for further reduction and/or loss of ecosystem services.

Evidence is suggestive: "including potentially irreversible impacts."

Severe impacts (for example, mass coral bleaching events and rapid species invasions) have been extensively documented for U.S. coastal ecosystems. Many experts have suggested that some of these impacts may be irreversible 134 and never before seen conditions have been documented. Recovery may or may not be possible in different instances; this depends on factors that are not well-understood, such as the adaptive capacity of ecosystems, future projections of change that consider interactions among multiple climatic and non-climatic human alterations of systems, the dynamics and persistence of alternative states that are created after a regime shift has occurred, and whether or not the climatic and/or non-climatic stressors that lead to impacts will be ameliorated. 32,33,138,139,140,141

New information and remaining uncertainties

Since the 2009 NCA, 187 new studies have added weight to previously established conclusions. The major advance lies in the examination of tipping points for species and entire ecosystems

(for example, Barnosky et al. 2012; Folke et al. 2004; Foti et al. 2013; Hoegh-Guldberg and Bruno 2010^{134,135,137,138}). Existing uncertainties and future research needs were identified through reviewing the NCA technical inputs and other peer-reviewed, published literature on these topics, as well as through our own identification and assessment of knowledge gaps.

Key uncertainties in our understanding of ecosystem impacts of climate change in coastal areas are associated with:

- the interactive effects and relative contributions of multiple climatic and non-climatic stressors on coastal organisms and ecosystems;
- how the consequences of multiple stressors for individual species combine to affect community- and ecosystem-level interactions and functions;
- the projected magnitude of coastal ecosystem change under different scenarios of temperature change, sea level rise, and land-use change, particularly given the potential for feedbacks and non-linearities in ecosystem responses;
- the potential adaptive capacity of coastal organisms and ecosystems to climate change;
- trajectories, timeframes, and magnitudes of coastal ecosystem recovery;
- the dynamics and persistence of alternative states that are created after ecosystem regime shifts have occurred; and
- the potential and likelihood for irreversible climaterelated coastal ecosystem change.

In general, relatively little work to date has been conducted to project future coastal ecosystem change under integrative scenarios of temperature change, sea level rise, and changes in human uses of, and impacts to, coastal ecosystems (for example, through land-use change). Advancing understanding and knowledge associated with this key uncertainty, as well as the others included in the above list, would be fostered by additional research.

Assessment of confidence based on evidence

We have **very high** confidence that coastal ecosystems are particularly vulnerable to climate change because they have already been dramatically altered by human stresses, as documented in extensive and conclusive evidence.

We have **very high** confidence that climate change will result in further reduction or loss of the services that these ecosystems provide, as there is extensive and conclusive evidence related to this vulnerability.

We have **high** confidence that climatic change will include "potentially irreversible impacts." Site-specific evidence of

potentially irreversible impacts exists in the literature. This vulnerability is frequently identified by studies of coastal ecosystems. However, methods, research, and models are still being developed for understanding, documenting, and predicting potentially irreversible impacts across all types of coastal ecosystems.

KEY MESSAGE #5 TRACEABLE ACCOUNT

Leaders and residents of coastal regions are increasingly aware of the high vulnerability of coasts to climate change, and are developing plans to prepare for potential impacts on citizens, businesses, and environmental assets. Significant institutional, political, social, and economic obstacles to implementing adaptation actions remain.

Description of evidence base

The key message and supporting text summarize extensive evidence documented in the coastal zone technical input report. Technical input reports (68) on a wide range of topics were also received and reviewed as part of the Federal Register Notice solicitation for public input, along with the extant literature.

Evidence base is moderate to strong: the results on which this key message relies are based on case studies, direct observation and "lessons learned" assessments from a wide range of efforts, surveys, and interview studies in ongoing adaptation efforts around the country. There has been some planning for remediating climate change impacts, including recent publications 144,153,163,164 and there are publications on the lower social acceptance of certain adaptation option (for example, Finzi Hart et al. 2012; Peach 2012 144,158) and on the many barriers that affect adaptation.

In addition, there is confirming evidence of very similar findings from other locations outside the U.S. (some, from Canada, were also submitted as technical input reports to the NCA), such as the United Kingdom, continental Europe, Australia, and others. 157,181

New information and remaining uncertainties

Adaptation is a rapidly spreading policy and planning focus across coastal America. This was not previously captured or assessed in the 2009 NCA¹⁸⁷ and is thus a major advance in understanding, including what adaptation activities are underway, what impedes them, and how coastal stakeholders view and respond to these emerging adaptation activities.

Given the local nature of adaptation (even though it frequently involves actors from all levels of government), it is difficult to systematically track, catalog, or assess progress being made on adaptation in coastal America. The difficulty, if not impossibility, of comprehensively tracking such progress has been previously acknowledged. This conclusion is reiterated in the Adaptation chapter (Ch. 28) of this report.

While the findings and integrative key message stand on strong evidence, some uncertainties remain about U.S. coastal regions' adaptive capacity, the level of adoption of hazard mitigation and other adaptation strategies, and the extent and importance of barriers to adaptation.

Possibly the least well-understood aspect about coastal adaptation is how and when to undertake large-scale, transformational adaptation. Aside from the mentioned examples of relocation, no other examples exist at the present time, and further research is required to better understand how major institutional, structural, or social transformation might occur and what would be involved to realize such options.

Assessment of confidence based on evidence

We have **very high** confidence in this key message, as it is primarily based on studies using well-accepted social science research techniques (for example, surveys, interviews, and participant observation), replicated in several place-based case studies, and on a nationwide compilation of adaptation case studies. Consistency in insights and conclusions in these studies, and in others across regions, sectors, and nations, add to the confidence.

As described above, a comprehensive catalogue of all adaptation efforts, and of related challenges and lessons learned, is difficult if not impossible to ever obtain. Nevertheless, the emerging insights and evidence from different regions of the country provide considerable confidence that the situation is reasonably well captured in the documents relied on here. The coastal stakeholders represented among the authors of the foundational technical input report⁷ confirmed the conclusions from their long-term experience in coastal management and direct involvement in adaptation efforts locally.

Moreover, evidence from other regions outside the U.S. adds weight to the conclusions drawn here.